

Berichte  
aus dem  
Institut für Meereskunde  
an der  
Christian-Albrechts-Universität Kiel  
Nr. 31

INDEXED BIBLIOGRAPHY ON PARASITES AND DISEASES OF  
MARINE FISH FROM NORTH SEA AND BALTIC SEA, 2nd EDITION

by

HEINO MÖLLER

ISSN 0341 - 8561

DOI 10.3289/IFM\_BER\_31

Copies of this paper may be obtained by:

Dr. Heino Möller  
Institut für Meereskunde  
an der Universität Kiel  
Düsternbrookerweg 20  
D - 2300 Kiel  
FRG

MÖLLER, H.; 1977: Indexed bibliography on parasites and diseases of marine fish from North Sea and Baltic Sea (2nd edition). Ber.Inst.Meeresk.Kiel 31, 47pp.

The only comprehensive description of biology and systematics of fish parasites from North Sea and Baltic Sea is given in "Die Tierwelt der Nord- und Ostsee", edited from 1927 to 1940 by GRIMPE & WAGLER. Since this time, systematics of certain parasite groups have been changed considerably, several new species have been described and a lot of new host records and results of ecological and morphological investigations have been published.

The present bibliography summarizes publications on parasites and diseases of marine fishes and of human injuries caused by fish parasites from 1927 to 1975. Contrary to GRIMPE & WAGLER's volumes, this bibliography is limited strictly to works that have been carried out on material from the Baltic and the North Sea.

The list includes all titles that appeared in "Aquatic Sciences and Fisheries Abstract", "Zoological Record" and "Helminthological Abstracts". Further informations were obtained from the libraries of the "Christian-Albrechts-Universität Kiel", "Institut für Meereskunde Kiel", "Biologische Anstalt Helgoland", "Kristinebergs Zoologiska Station", and the "Marine Biological Association of the United Kingdom (Plymouth)".

I wish to express my thanks to all colleagues who helped to complete this bibliography, especially to B.Berland (Bergen), H.Hentschel (Hannover), H.Mann (Hamburg), O.A.Scarlato (Leningrad), C.Sommerville (Stirling), and I.C.Williams (Hull).

This list was closed in March 1977

1. ACTON, R.J. (ed.); 1974: Diseases of fish. MSS Inform. Ltd., New York, 277pp.
2. ADAMS, J.A.; 1971: Mass mortalities of sandeels in Scottish waters. Scott.Fish.Bull. 36, 14-15.
3. AKER, E.; 1970: (Marine eelpest in the German Bight.) Salzwasseraalseuche in der Deutschen Bucht. Arch.FischWiss. 21, 268-269.
4. ALAROTU, H.; 1944: (Investigations on monogenetic trematoda living on fishes in Finland.) Untersuchungen über die an Fischen in Finnland lebenden monogenetischen Trematoden. Acta zool.fenn. 43, 1-52.
5. AMLACHER, E.; 1972: (Pocketbook of fish diseases.) Taschenbuch der Fischkrankheiten. VEB Fischer, Jena, 378pp.
6. ANDERSON, J.I. & CONROY, D.A.; 1968: The significance of disease in preliminary attempts to raise flatfish and salmonids in sea water. Bull.Off.int.Epizoot. 69, 1129-1137.
7. ANDERSON, R.C.; CHABAUD, A.G. & WILLMOTT, S. (eds); 1974: CIH keys to the nematode parasites of vertebrates. Commonwealth agric.Bur., Farnham Royal, Bucks.
8. ANDREASSEN, J.; 1970: The first known human case of Anisakiasis in Denmark. Norw.J.Zool. 18, 105.
9. ANEER, G. & LJUNGBERG, O.; 1975: Lymphocystis disease in Baltic herring (*Clupea harengus* var. *membras* L.). J.Fish Biol. 7
10. ANWAND, K.; 1963: (On some abnormalities and deformities of herring (*Clupea harengus* L.)) Über einige Abnormalitäten und Mißbildungen beim Hering (*Clupea harengus* L.). Z.Fisch. 11, 533-538.
11. ARME, C. & WALKEY, H.; 1970: The physiology of fish parasites. Symp.Br.Soc.Parasit. 8, 79-101.
12. ARNTZ, W.E.; 1972: On the significance of the parasitic copepod *Lernaeocera branchialis* (L.) for the question about the origin of Kiel Bay whiting (*Merlangius merlangus* (L.)). Int.Counc.Explor.Sea C.M./F:26, 8pp.
13. ARNTZ, W.E.; 1972: (On the occurrence of the parasitic copepod *Lernaeocera branchialis* in Kiel Bight and its significance as biological tag.) Über das Auftreten des parasitischen Copepoden *Lernaeocera branchialis* in der Kieler Bucht und seine Bedeutung als biologische Markierung. Arch.FischWiss. 23, 118-127.
14. ASAKAWA, Y.; HECHELMANN, H. & LEISTNER, L.; 1970: (Occurrence of *Vibrio parahaemolyticus* in marine fish from North Sea, Baltic Sea and the Mediterranean). Vorkommen von *Vibrio parahaemolyticus* bei Seefischen in der Nord- und Ostsee sowie im Mittelmeer. Fleischwirtschaft 50, 682.
15. ASHLEY, B.S.; APPLETON, P.J. & DAWSON, I.; 1964: Eosinophilic granuloma of gastro-intestinal tract caused by herring parasite *Eustoma rotundatum*. Br.med.J. 1964, 1141-1145.

16. BAGGE, J. & BAGGE, O.; 1956: (Vibrio anguillarum as source of ulcus disease in cod.) Vibrio anguillarum som årsag til ulcussygdom hos torsk. Nord.VetMed. 8, 481-492.
17. BARRETT, J. & BUTTERWORTH, P.E.; 1973: The carotenoid pigments of 6 species of adult acanthocephala. Experientia 29, 651-653.
18. BAYLIS, H.A.; 1928: Records of some parasitic worms from British vertebrates. Ann.Mag.nat.Hist., ser. 10, 1, 329-343.
19. BAYLIS, H.A.; 1939: Further records of parasitic worms from British vertebrates. Ann.Mag.nat.Hist., ser. 11, 4, 473-498.
20. BERLAND, B.; 1958: (Notes on parasitic nematodes (round-worms) in fish.) Litt om parasittiske nematoder (rundmark) i fisk. Fauna, Oslo 1, 1-11.
21. BERLAND, B.; 1960: (On roundwormlarvae in fish.) Om rundmarklarver i fisk. Naturen 8, 455-465.
22. BERLAND, B.; 1961: Use of glacial acid for killing parasitic nematodes for collection purposes. Nature, Lond. 191, 1320-1321.
23. BERLAND, B.; 1961: Nematodes from some Norwegian fishes. Sarsia 2, 1-50.
24. BERLAND, B.; 1962: (Raw sild and wormlarvae.) Rå sild og markelarver. Naturen 2, 106-111.
25. BERLAND, B.; 1969: (The parasitic copepod Sphyrion lumpi (Krøyer, 1845) found on cod and Greenland halibut.) En parasittisk copepod, Sphyrion lumpi (Krøyer, 1845), funnet på torsk og blåkveite. Fauna, Oslo 22, 147-152.
26. BERLAND, B.; 1970: The copepod Sarcotaces arcticus Collett, 1874 in the blue ling. Norw.J.Zool. 18, 103-104.
27. BERLAND, B.; 1970: Cephalic morphology in the nematode family Cucullanidae. Norw.J.Zool. 18, 104.
28. BERLAND, B.; 1970: On the morphology of the head in four species of the Cucullanidae (Nematoda). Sarsia 43, 15-63.
29. BERLAND, B.; 1973: (On parasites of fishes.) Om parasitter i fisk. Fiskets Gang 26, 486-493.
30. BERNER, A.F. & MATTHEIS, T.; 1959: (Ulcer-cod among the landings of the fishing fleet from Saßnitz.) Geschwürdorsch in den Fängen der Saßnitzer Kutterflotte. Dt.FischZtg, Radebeul 6, 224-229.
31. BERNER, M.; 1963: (Observations on a gillarch-tumour, a cyst in the body cavity and intestinal deformities in the Baltic cod (Gadus morhua L.).) Beobachtungen an einer Kiemenbogengeschwulst, einer Leibeshöhlencyste und Eingeweideverwachsungen beim Ostseedorsch (Gadus morhua L.). Z.Fisch. 11, 175-182.
32. BIJCKER, H.; 1967: (Herringworm disease.) Haringworm-ziekte (anisakiasis). Ned.Tijdschr.Geneesk. 111, 927-928.

33. BIJKERK, H.; 1968: (Herringworm disease.) Haringworm-  
ziekte (anisakiasis). Ned.Tijdschr.Geneesk. 112,  
987-988.
34. BIJKERK, H.; 1969: (Herringworm disease.) Haringworm-  
ziekte (anisakiasis). Ned.Tijdschr.Geneesk. 113,  
906-907.
35. BIJKERK, H.; 1970: (Herringworm disease.) Haringworm-  
ziekte (anisakiasis). Ned.Tijdschr.Geneesk. 114, 856.
36. BIJKERK, H.; 1971: (Herringworm disease.) Haringworm-  
ziekte (Anisakiasis). Ned.Tijdschr.Geneesk. 115, 763.
37. BLAXTER, J.H.; ROBERTS, R.J.; BALBOUTIN, F. & MCQUEEN, A.;  
1974: B group deficiency in cultured herring.  
Aquaculture 3, 387-394.
38. BOXSHALL, G.A.; 1974: Infections with parasitic copepods  
in North Sea marine fishes. J.mar.biol.Ass.U.K. 54,  
355-372.
39. BOXSHALL, G.A.; 1974: Lepeophtheirus pectoralis (O.F.  
Müller); a description, a review and some comparisons  
with the genus Caligus Müller, 1785.  
J.nat.Hist., ser. 13, 8, 445-468.
40. BOXSHALL, G.A.; 1974: The developmental stages of Lepeoph-  
theirus pectoralis (Müller, 1776) (Copepoda: Caligidae).  
J.nat.Hist., ser. 13, 8, 681-760.
41. BOXSHALL, G.A.; 1974: The population dynamics of Lepeoph-  
theirus pectoralis (Müller): seasonal variation in abun-  
dance and age structure. Parasitology 69, 361-371.
42. BOXSHALL, G.A.; 1974: The population dynamics of Lepeoph-  
theirus pectoralis (Müller): dispersion pattern.  
Parasitology 69, 373-390.
43. BOXSHALL, G.A.; 1974: The validity of Acanthochondrites  
inflatus (Bainbridge, 1909) a parasitic copepod occurring  
on Raja radiata Donovan, 1806 in the North Sea.  
J.nat.Hist., ser. 13, 8, 11-17.
44. BOXSHALL, G.A.; 1976: The host specifity of Lepeophtheirus  
pectoralis (Müller 1776) (Copepoda: Caligidae).  
J.Fish Biol. 8, 255-264.
45. BRABER, L. & DE GROOT, S.J.; 1973: The food of five flat-  
fish species (Pleuronectiformes) in the southern North  
Sea. Neth.J.Sea Res. 6, 163-172.
46. BRAG, H.; 1959: (A case of rhabdomyom in cod (Gadus  
callarias).) Über einen Fall von Rhabdomyom  
beim Dorsch (Gadus callarias).  
Arch.Lebensmittelhyg. 10, 176-177.
47. BRANDES, C.H.; 1954: (On a new species of parasitic cope-  
poda: Pseudocycnus thynnus n.sp..) Über eine neue Art  
der parasitischen Copepoden: Pseudocycnus thynnus n.sp..  
Veröff.Inst.Meeresforsch.Bremerh. 3, 190-198.
48. BRIERLEY, R.V. & SCOTT, E.J.; 1969: Fish diseases. A report  
on their incidence and current therapeutic measures in  
fish farming. Res.Inform.Centre, Wellcome Res.Univ.,  
Beckenham Doc. BAQR/69/103, 60pp.

49. BRINKMANN, A.; 1940: Contribution to our knowledge of the monogenetic trematodes. Bergens Mus. Arb., nat. rekke, 1940, 1-117.
50. BRINKMANN, A.; 1942: On some new and little known Dactylocotyle species, with a discussion on the relations between the genus Dactylocotyle and the "family" Dicliodophoridae. Göteborgs K. Vetensk.-o. Vitterh. Samh. Handl., 6. följd., ser. B, 1, (13), 1-32.
51. BRINKMANN, A.; 1942: On "Octobothrium" leptogaster F.S. Leuckart. Göteborgs K. Vetensk.-o. Vitterh. Samh. Handl., 6. följd., ser. B, 2 (3), 1-29.
52. BRINKMANN, A.; 1952: Fish trematodes from Norwegian waters. I. The history of fish trematode investigation in Norway and the Norwegian species of the order Monogenea. Arbok Univ. Bergen, mat. nat. ser., 1952 (1), 1-134.
53. BRINKMANN, A.; 1956: Demonstration of monogenetic fish trematodes, mainly from Norwegian waters, with some comments. Proc. 14th int. zool. Congr. Copenh. 1953.
54. BRINKMANN, A.; 1957: Fish trematodes from Norwegian waters. IIa. The Norwegian species of the orders Aspidogastrea and Digenea (Gasterostomata). Arbok Univ. Bergen, mat. nat. ser., 4, 1-29.
55. BRINKMANN, A.; 1962: (Lymphocystis disease of flounder.) Lymphocystis-syke hos skrubbe. Fauna, Oslo 15, 36-40.
56. BRINKMANN, A.; 1962: A plerocercoid (Cestoda: Tetraphyllidea) from Luvarus imperialis Raf., captured in Norwegian waters. Sarsia 7, 1-5.
57. BRUUN, A.F. & HEIBERG, G.; 1935: (Further investigations on red disease of eel in Danish waters.) Weitere Untersuchungen über die Rotseuche des Aales in dänischen Gewässern. Z. Fisch. 33, 379-382.
58. BÜCKMANN, A.; 1952: (Infections of plaice (Pleuronectes platessa L.) with Glugea stephani and Vibrio anguillarum.) Infektionen mit Glugea stephani und Vibrio anguillarum bei Schollen (Pleuronectes platessa L.) Veröff. Inst. Meeresforsch. Bremerh. 1, 1-7.
59. BURT, D.R. & EADIE, J.M.; 1958: Cyathostoma lari Blanchard, 1849 (Nematoda, Strongyloidea) its anatomy, intra-specific variation and hosts, with a redefinition of the genus. J. Linn. Soc. 43, 575-586.
61. BURT, M.D. & SANDEMAN, J.M.; 1969: Biology of Bothrimonas (= Diplocotyle) (Pseudophyllidea: Cestoda) Part I. History description, synonymy, and systematics. J. Fish. Res. Bd Can. 26, 975-996.
62. BYCHOWSKY, B.E.; 1957: Monogenetic trematodes. Their systematics and phylogeny. Engl. transl.: OUSTINOFF, P.C.; Am. Inst. biol. Sci., U.S. Graphic Arts Press, Wash., D.C., 627pp.

63. BYHOVSKAYA-PAVLOVSKAYA, I.E.; 1964: Trematoda.  
in: → PAVLOVSKII, E.N. (ed.), 510-613.
64. CAPART, A.; 1947: (Lernaeocera branchialis (L.), a parasitic copepod on Gadidae.) Le Lernaeocera branchialis (L.), copépode parasite des Gadides.  
J.Cons.perm.int.Explor.Mer 15, 69-76.
65. CAPART, A.; 1948: (Lernaeocera branchialis (Linné 1767).) Le Lernaeocera branchialis (Linné 1767).  
Cellule 52, 159-212.
66. CHRISTIANSEN, M. & JENSEN, A.J.; 1950: On a recent and frequently occurring tumour disease in eel.  
Rep.Dan.biol.Stn 50, 29-44.
67. CICHOWLAS, Z.; 1961: The life-cycle of Diplostomum spathaceum (Rud. 1819) in brackish waters of the Baltic Sea. Acta parasit.pol. 9, 33-45.
68. CLAUSSEN, L.; 1936: (Microsporidian infection in spotted wolffish.) Mikrosporidieninfektion beim gefleckten Seewolf. Dt.tierärztl.Wschr. 44, 307-310.
69. CONROY, D.A.; 1968: Partial bibliography on the bacterial diseases of fish. An annotated bibliography for the years 1870 - 1966. F.A.O.Fish.techn.pap. 73, 1-75.
70. CORBEL, M.J.; 1975: The immune response in fish: a review. J.Fish Biol. 7, 529-563.
71. CROFTON, H.D.; 1947: The parasites of some littoral fishes of Northumberland. Contr.Dove mar.Lab. 9, 59-64.
72. DANIELS, J.J.; 1962: (Eosinophilic phlegmona in gastrointestinal tract caused by the herring-worm.) De eosinofiele flegmone van het maagdarmkanaal veroorzaakt door de haringworm.  
Ned.Tijdschr.Geneesk. 106, 131-132.
73. DANNEVIG, A. & HANSEN, S.; 1952: (Factors of importance for the growth of fish eggs and fish larvae.) Faktorer av betydning for fiskeeggenes og fiskeyngelens opp vekst. FiskDir.Skr. 10(1), 1-36.
74. DAVEY, J.T.; 1971: A revision of the genus Anisakis Dujardin, 1845 (Nematoda: Ascaridata). J.Helminth. 45, 51-72.
75. DAVEY, J.T.; 1972: The incidence of Anisakis sp. larvae (Nematoda: Ascaridata) in the commercially exploited stocks of herring (Clupea harengus L., 1758) (Pisces: Clupeidae) in British and adjacent waters.  
J.Fish Biol. 4, 535-554.
76. DAVEY, J.T.; 1972: The public health aspects of a larval roundworm from the herring. Community Health 4, 104-106.
77. DAVEY, J.T. & PEACHEY, J.T.; 1968: Bothriocephalus scorpii (Cestoda: Pseudophyllidea) in turbot and brill from British coastal waters. J.mar.biol.Ass.U.K. 48, 335-340.
78. DAVID, H.; 1927: (On a fish disease caused by choleralike Vibrio species). Über eine durch choleraähnliche Vibrien hervorgerufene Fischseuche. Zbl.Bakt., Abt.I, Orig. 102, 46-60.

79. DAWES, B.; 1946: The trematoda. Cambridge Univ.Press, 644pp.
80. DAWES, B.; 1947: The trematoda of British fishes. Ray Soc. 131, 1-364.
81. DEGEBY, P.; 1975: (Survey on fish parasites in Bärseback, Ringhals and Marviken). Fiskparasitologisk inventering i Bärseback, Ringhals och Marviken. Statens Naturvårdsverk, Sweden, SNV PM 579, 10pp.
82. DE GROOT, S.J.; 1971: Bothriocephalus scorpii (Müller) (Cestoda: Pseudophyllidae) in turbot *Scophthalmus maximus* (L.) and brill *S. rhombus* (L.) from the southern North Sea. J.Fish Biol. 3, 147-149.
83. DEMEL, K.; 1933: (List of evertbrates and fishes in our part of the Baltic.) in Polish. Fragm.faun. 2, 121-136.
84. DENECKE, K.; 1935: (Nematode larvae of the genus Goezia as cause of an eel kill.) Nematodenlarven der Gattung Goezia als Ursache eines Aalsterbens. Z.Parasitenkunde 7, 702-708.
85. DIENSKE, H.A.; 1968: A survey of the metazoan parasites of the rabbit-fish, *Chimaera monstrosa* L. (Holocephali). Neth.J.Sea Res. 4, 32-55.
86. DIETZ, C.; 1955: (Plerocercoid of Tetrarhynchidea in *Gadus virens*.) Plerozerkoid von Tetrarhynchides bei *Gadus virens*. Arch.Lebensmittelhyg. 6, 192-194.
87. DIXON, B.; 1937: (The parasitic copepods on the sprats caught in the Sund.) in Polish. Biul.Sta.morsk.Helu 1, 13.
88. DOGIEL, V.A. & PETRUSHEVSKII, G.K.; 1933: (The parasite fauna of fishes from the Newa estuary.) in Russian. Trudy leningr.Obshch.Estest. 62, 366-434.
89. DOGIEL, V.A.; PETRUSHEVSKII, G.K. & POLYANSKI, Y.I. (eds); 1958: Parasitology of fishes. Engl.transl.: KABATA, Z.; 1961; T.H.F.Publ., Hongkong, 384 pp.
90. DOGIEL, V.A. & ROZOVA, A.; 1941: (Parasite fauna of *Myoxocephalus quadricornis* in various areas of its distribution.) in Russian. Uchen.Zap.leningr.gos.Univ. 74, 14-19.
91. DOLLFUS, R.P.; 1953: (Zooparasites of Atlanto-Arctic cod.) Parasites animaux de la morue Atlanto-Arctique. Encycl.biol. 43, 40-189.
92. DOLLFUS, R.P.; 1956: (List of zooparasites of herring from North Atlantic and Baltic Sea.) Parasites animaux du hareng de l'Atlantique Nord et la Baltique. J.Cons.perm.int.Explor.Mer 22, 58-65.
93. DOLLFUS, R.P.; 1970: (Nematodes of herring.) Les vers nematodes du hareng. C.r.Congr.Socs.sav.(Pau, 1969), Sect.Sci. 94, 351-426.
94. DUBININA, M.N.; 1964: Cestoidea. in:→ PAVLOVSKII, E.N. (ed.), 445-510.



95. EGIDIUS, E. & ANDERSEN, K.; 1975: Report on an epizootie of vibriosis in the young saithe population along the Norwegian coast. Int.Counc.Explor.Sea C.M./ E: 43.
96. ELKAN, E. & REICHENBACH-KLINKE, H.H.; 1974: Color atlas of the diseases of fishes, amphibians and reptiles. T.F.H.Publ., Neptune, N.J., 256pp.
97. ENGELBRECHT, H.; 1956: (Helminths of commercial fishes from the Greifswalder Bodden and the Kleinen Haff.) Die Helminthen der Nutzfische des Greifswalder Boddens und des Kleinen Haffs. Diss.mat.nat.Fak.Univ. Greifswald.
98. ENGELBRECHT, H.; 1957: (Some remarks on Pomphorhynchus laevis (Zoega, Müller 1776) as parasite in Pleuronectes flesus and Pleuronectes platessa.) Einige Bemerkungen zu Pomphorhynchus laevis (Zoega, Müller 1776) als Parasit in Pleuronectes flesus und Pleuronectes platessa. Zentbl.Bakt.ParasitKde, Abt.I, 168, 474-479.
99. ENGELBRECHT, H.; 1958: (Investigations on the infection with parasites of commercial fishes in the Greifswalder Bodden and Kleinen Haff.) Untersuchungen über den Parasitenbefall der Nutzfische im Greifswalder Bodden und Kleinen Haff. Z.Fisch. 7, 481-511.
100. EPSHTEIN, V.M.; 1964: Hirudinea. in: → PAVLOVSKII, E.N. (ed.), 727-740.
101. FISCHER, E.; 1955: (Parasitic worms of Baltic Sea fishes of commercial interest.) Die parasitischen Würmer der wirtschaftlich wichtigsten Ostseefische. Diss.landw.Fak.Humboldt Univ.Berlin 861, 126pp.
102. FLÜCHTER, J.; 1974: Identification and treatment of diseases in the common sole (*Solea solea* L.). Int.Counc.Explor.Sea C.M./ E:36, 5pp.
103. FRANKLAND, H.M.; 1952: Helminth parasites of marine fishes. The biology of *Diclidophora denticulata*, a monogenetic trematode. Ph.D.thesis, St.Andrews.
104. FRANKLAND, H.M.; 1955: The life-history and bionomics of *Diclidophora denticulata* (Trematoda, Monogenea). Parasitology 45, 313-351.
105. FRASER, J.H.; 1948: *Sphyrion lumpi* (Krøyer), copepoda parasitica, from Scottish and adjacent waters. Scott.Nat. 60, 91-92.
106. GETSEVICHYTE, S.; 1955: (Seasonal infestations of the liver of the Baltic cod with *Contracaecum aduncum*.) in Russian. Liet.TSR Mokslu Akad.biol.Inst.Darb. 2, 127-129.
107. GETSEVICHYTE, S.; 1958: (Parasitic fauna of fish of the Kuronian Gulf.) in Russian. Liet.TSR Mokslu Akad. biol.Inst.Darb. 3, 101-139.
108. GIBSON, D.I.; 1970: Aspects of the development of "herringworm" (*Anisakis* sp. larva) in experimentally infected rats. Nytt Mag.Zool. 18, 175-187.
109. GIBSON, D.I.; 1972: Contributions to the life-histories and development of *Cucullanus minutus* Rudolphi, 1819 and *C. heterochrous* Rudolphi, 1802 (Nematoda: Ascariida). Bull.Br.Mus.nat.Hist.Zool. 22, 153-170.

110. GIBSON, D.I.; 1972: Flounder parasites as biological tags. J.Fish Biol. 4, 1-9.
111. GIBSON, D.I.; 1973: The genus *Pseudanisakis* Layman & Borovkova, 1926 (Nematoda: Ascaridata). J.nat.Hist., ser. 13, 7, 319-340.
112. GIBSON, D.I.; 1974: Some ultrastructural studies on the excretory bladder of *Podocotyle staffordi* Miller, 1941 (Digenea). Bull.Br.Mus.nat.Hist.Zool. 24, 461-465.
113. GIBSON, D.I.; 1974: The type-species of the genus *Pseudanisakis* Layman & Borovkova, 1926 (Nematoda). Z.N.(S.) 2020. Bull.zool.Nom. 30, 182-184.
114. GINETSKINSKAYA, T.A.; 1970: The life cycles of fish helminths and the biology of their larval stages. in: → DOGIEL, V.A. & al. (eds), 140-179.
115. GLAESER, H.J.; 1974: A new species group of the subgenus *Gyrodactylus* (Monogenea, Gyrodactylidae). Eine neue Artengruppe des Subgenus *Gyrodactylus* (Paranephrotus) (Monogenea, Gyrodactylidae). Zool.Anz. 192, 271-278.
116. GJØSAETER, J.; 1971: *Sarcotretes scopeli*, a lernaeid copepod new to Norway. Sarsia 46, 97-100.
117. GÖTTING, K.J.; 1976: (Bacteria in the ovary of marine fishes kept in aquaria.) Bakterien im Ovar aquariengehalteter Meeresfische. Experientia 32, 174.
118. GORDON, A.A.; 1951: On the male of *Ascarophis morrhuae* van Beneden. Parasitology 41, 261-263.
119. GRABDA, J.; 1967: (Copepoda parasitica and Branchiura.) in Polish. Katalog fauny polski 12(5), 1-27.
120. GRABDA, J.; 1971: (Acanthocephala.) in Polish. Katalog fauny polski 10, 1-40.
121. GRAINGER, J.N.; 1959: The identity of the larval nematodes found in the body muscles of the cod (*Gadus callarias* L.). Parasitology 49, 121-131.
122. GRIMPE, G. & WAGLER, E. (eds); 1927-40: (Fauna of North Sea and Baltic Sea.) Die Tierwelt der Nord- und Ostsee. Akad.Verlagsges., Leipzig, 12 Vols.
123. GRUNNET, K. & GRUNDSTRUP, A.S.; 1969: (Fish and salmonella.) Fisk og salmonella. Nord.VetMed. 21, 306-319.
124. GURNEY, R.; 1947: Some notes on parasitic copepoda. J.mar.biol.Ass.U.K. 27, 133-137.
125. GUSEV, A.V.; 1964: Monogenoidea. in: → PAVLOVSKII, E.N. (ed.), 240-445.
126. GUSEV, A.V.; 1964: Crustacea. in: → PAVLOVSKII, E.N. (ed.), 745-801.
127. GUTTOWA, A.; 1970: (The broad tapeworm, *Diphyllbothrium latum* (L.), (Cestoda, Pseudophyllidae) in the Baltic region). in Polish. Acta parasit.pol. 18, 323-340.

128. HAASTEIN, T. GJERDE, J.; 1975: (Vibriosis in fish: origin, effects, treatment and food hygienic aspects). Vibriose hos fisk: årsak, virkning, behandling og næringsmiddelhygieniske forhold. Fiskets Gang 10, 135-140.
129. HAASTEIN, T. & HOLT, G.; 1972: The occurrence of Vibrio disease in wild Norwegian fish. J.Fish Biol. 4, 33-37.
130. HALTON, D.W. & ARME, C.; 1972: In vitro technique for detecting tegument damage in *Diclidophora merlangi*: possible screening method for selection of undamaged tissue or organisms prior to physiological investigations. Expl Parasit. 30, 54-57.
131. HALVORSEN, O.; 1966: (Isopods in gonads of cod.) Isopoder i torskerogn. Fauna, Oslo 19, 90-91.
132. HALVORSEN, O. & WILLIAMS, H.H.; 1968: Studies of the helminth fauna of Norway. IX. *Gyrocotyle* (Platyhelminthes) in *Chimaera monstrosa* from Oslo Fjord, with emphasis on its mode of attachment and a regulation in the degree of infection. Nytt Mag.Zool. 15, 130-142.
133. HAMMOND, R.; 1969: The copepods parasitic on Norfolk marine fishes. Trans.Norfolk Norwich Nat.Soc. 21, 229-234.
135. HARGIS, W.J.; LAWLER, A.R.; MORALES-ALAMO, R. & ZWERNER, D.E.; 1969: Bibliography of the monogenetic trematode literature of the world 1758-1969. Va Inst.mar.Sci., spec.Sci.Rep. 55, 195pp.
136. HARTMANN, J.; 1969: (Chalimus stages of *Lepeophtheirus* on juvenile *Onos cimbrius* and *Onos mustelus*.) Chalimusstadien von *Lepeophtheirus* auf juvenilen *Onos cimbrius* und *Onos mustelus*. Ber.dt.wiss.Kommn Meeresforsch. 20, 172-175.
137. HAWKINS, R.I. & MAWDESLEY-THOMAS, L.; 1972: Fish haematology - a bibliography. J.Fish Biol. 4, 193-232.
138. HILGE, V.; 1975: (A hermaphrodite cod (*Gadus morhua callarias*) from the central Baltic Sea.) Ein hermaphroditischer Dorsch (*Gadus morhua callarias*) aus der mittleren Ostsee. Ber.dt.wiss.Kommn Meeresforsch. 24, 212-214.
139. HISLOP, J.R. & MACKENZIE, K.; 1976: Population studies of the whiting *Merlangius merlangus* (L.) of the northern North Sea. J.Cons.int.Explor.Mer 37, 98-111.
140. HERTER, K.; 1935: (Hirudinea.) in German. in: → GRIMPE, G. & WAGLER, E. (eds), Vol.6.c<sub>2</sub>, 45-106.
141. HO, J.S.; 1970: Revision of the genera of the Chondracanthidae, a copepod family parasitic on marine fishes. *Beaufortia* 17, 105-218.
142. HODGKISS, W. & SHEWAN, J.M.; 1950: *Pseudomonas* infection in a plaice. J.Path.Bact. 62, 655-657.
144. HOUWING, H.; 1969: (Inactivation of the herring nematode by kitchen-salt and acetic acid.) Het inactiveren van de haringnematode door keukenzout en azijnzuur. Visserijwereld 28(20), 3pp.

145. HOUWING, H.; 1969: (Inactivation of the herring nematode by smoking.) Het inactiveren van haringnematoden tijdens het rookproces. Visserijwereld 28(20), 3pp.
146. IRVINE, K.R.; 1968: Aspects of the biology of *Abothrium gadi*, Beneden, a tapeworm of the cod. B.Sci.thesis, Univ.Aberdeen.
147. IZYUMOVA, N.A.; 1964: Nematoda. in: → PAVLOVSKII, E.N. (ed.), 615-681.
148. JACOBSEN, K.B. & BERLAND, B.; 1969: (Fish nematodes causing acute and chronic gastro-enteritis with tissue eosinophily.) Fiskenematoder som årsak till akutt og kronisk gastroenteritt med vevseosinofili. Nord.Med. 82, 1104-1111.
149. JAZDZEWSKI, K.; 1962: (Herring and bottom fauna in the Bight of Puck.) in Polish. Przegl.zool. 6, 286-290.
150. JAMES, B.L.; 1971: Host selection and ecology of marine digenean larvae. 4th Europ.mar.biol.Symp., Cambridge Univ.Press, 179-196.
151. JANISZIEWSKA, J.; 1937: (The third and fourth larval stages of *Contracaecum aduncum* (Rud) from the intestine of flounder, *Pleuronectes flesus* L.) Das dritte und vierte Larvenstadium von *Contracaecum aduncum* (Rud) aus dem Darne der Flunder, *Pleuronectes flesus* L.. Bull.Acad.pol.Sci.Cl.II, sér.sci.biol. 2, 11-18.
152. JANISZIEWSKA, J.; 1938: (Studies on development and biology of parasitic worms in flounder (*Pleuronectes flesus* L.).) Studien über die Entwicklung und die Lebensweise der parasitischen Würmer in der Flunder (*Pleuronectes flesus* L.). Mém.Acad.pol.Sci.Cl.sci.mat.nat., sér.B 14, 1-68.
153. JANSSON, C.W. & WAALER, E.; 1967: Body temperature, antibody formation and inflammatory response. Acta Path.Microbiol.scand. 69, 557-566.
154. JARA, Z.; 1961: (*Sphyrion lumpi* (Krøyer).) in Polish. Wiad.parazyt. 8, 595-598.
155. JENSEN, J. & LARSEN, J.L.; 1976: (Research project on the reaction of marine *Vibrio* populations to pollution in marine biotops). Forskningsprojekt vedrørende marine vibriopopulationers forhold til dratforurening i marine biotoper. Dansk VetTidsskr. 59, 521-524.
156. JOAKIMSSON, G. & HEMPEL, G.; 1971: Length and weight of spring spawning herring in the Kiel Bight. Int.Counc.Explor.Sea, C.M./H:1, 7pp.
157. JOHNSTONE, J.; 1926: Diseased conditions in fishes. Rep.Lancs Sea-Fish.Labs 35, 162-167.
158. JOYEUX, C. & BAER, J.G.; 1936: (Cestodes.) in French. Faune de France 30, 613pp.
159. KABATA, Z.; 1957: *Lernaeocera obtusa* n.sp., a hitherto undescribed parasite of the haddock (*Gadus aeglefinus* L.). J.mar.biol.Ass.U.K. 36, 569-592.
160. KABATA, Z.; 1957: Note on a new host of *Myxobolus aeglefini*. Parasitology 47, 165-168.

161. KABATA, Z.; 1958: *Lernaeocera obtusa* n.sp., its biology and its effects on the haddock. *Mar.Res.* 1958(3), 26pp.
162. KABATA, Z.; 1959: Ecology of the genus *Acanthochondria* Oakley (Copepoda parasitica). *J.mar.biol.Ass.U.K.* 38, 249-261.
163. KABATA, Z.; 1959: On two little-known microsporidia of marine fishes. *Parasitology* 49, 309-315.
164. KABATA, Z.; 1960: On the specificity of *Lernaeocera* (Copepoda parasitica). *Ann.mag.nat.Hist.*, ser. 13, 3, 133-139.
165. KABATA, Z.; 1960: On two myxosporidian parasites of marine fishes, including one new species (*Ceratomyxa tenuispora*). *Ann.Mag.nat.Hist.*, ser. 13, 3, 305-308.
166. KABATA, Z.; 1960: Observations on *Clavella* (Copepoda) parasitic on some British gadoids. *Crustaceana* 1, 342-352.
167. KABATA, Z.; 1961: *Lernaeocera branchialis* (L.) a parasitic copepod from the European and the American shores of the Atlantic. *Crustaceana* 2, 243-249.
168. KABATA, Z.; 1962: The mouth and mouthparts of *Lernaeocera branchialis* L.). *Crustaceana* 3, 311-317.
169. KABATA, Z.; 1962: The parasitic copepod *Clavella stellata* (Krøyer, 1838) with the description of the male. *Crustaceana* 4, 107-117.
170. KABATA, Z.; 1962: Five new species of myxosporidia from marine fishes. *Parasitology* 52, 177-186.
171. KABATA, Z.; 1963: Incidence of coccidiosis in Scottish herring (*Clupea harengus* L.). *Rapp.P.-v.Réun.Cons.perm.int.Explor.Mer* 28, 201-210.
172. KABATA, Z.; 1963: Parasites as biological tags. *Int.Counc.NWAtl.Fish.*, spec.Publ. 4, 31-37.
173. KABATA, Z.; 1963: *Clavella* (Copepoda) parasitic on British Gadidae: one species or several? *Crustaceana* 5, 64-74.
174. KABATA, Z.; 1963: The free-swimming stage of *Lernaeenicus* (Copepoda parasitica). *Crustaceana* 5, 181-187.
175. KABATA, Z.; 1964: Revision of the genus *Charopinus* Krøyer, 1863 (Copepoda: *Lernaeopodidae*). *Vidensk.Meddr dansk naturh.Foren.* 127, 85-112.
176. KABATA, Z.; 1965: *Andropoda*, a new genus of *Lernaeopodidae* (Copepoda) from the gills of *Lampris luna* (Gmelin). *Crustaceana* 8, 213-221.
177. KABATA, Z.; 1967: Whiting stocks and their gallbladder parasites in British waters. *Mar.Res.* 1967(2), 11pp.
178. KABATA, Z.; 1970: Crustacea as enemies of fishes. in: SNIEZKO, S.F. & AXELROD, H.R. (eds): "Diseases of fishes." T.H.F.Publ., Jersey City, 171pp.
179. KAHL, W.; 1936: (Contribution to the knowledge of the nematode *Contracaecum aduncum*.) *Beitrag zur Kenntnis des Nematoden Contracaecum aduncum.* *Z.Parasitenkunde* 8, 509-520.

180. KAHL, W.; 1938: (Nematodes in marine fishes. I. Investigations on histological alternations and cyst formations in host fishes, caused by larvae of *Porrocaecum decipiens*.) Nematoden in Seefischen. I. Erhebungen über die durch Larven von *Porrocaecum decipiens* in Fischwirten hervorgerufenen geweblichen Veränderungen und Kapselbildungen. Z.Parasitenkde 10, 415-431.
181. KAHL, W.; 1939: (Nematodes in marine fishes. II. Investigations on the infection of marine fishes with larvae of *Anacanthocheilus rotundatus* (Rudolphi) and reactions of host tissues caused by theses larvae.) Nematoden in Seefischen. II. Erhebungen über den Befall von Seefischen mit Larven von *Anacanthocheilus rotundatus* (Rudolphi) und die durch diese Larven hervorgerufenen Reaktionen des Wirtsgewebes. Z.Parasitenkde 10, 513-534.
182. KAHL, W.; 1939: (Nematodes in marine fishes. III. Statistical investigations on the infection of marine fishes with nematode larvae.) Nematoden in Seefischen. III. Statistische Erhebungen über den Nematodenbefall von Seefischen. Z.Parasitenkde 11, 16-41.
183. KEARN, G.C.; 1963: The life cycle of the monogenean *Entobdella soleae*, a skin parasite of the common sole. Parasitology 53, 253-263.
184. KEARN, G.C.; 1964: The attachment of the monogenean *Entobdella soleae* to the skin of the common sole. Parasitology 54, 327-336.
185. KEARN, G.C.; 1967: Experiments on host-finding and host-specificity in the monogenean skin parasite *Entobdella soleae*. Parasitology 57, 585-605.
186. KEARN, G.C.; 1973: An endogenous circadian hatching rhythm in the monogenean skin parasite *Entobdella soleae*, and its relationship to the activity rhythm of the host (*Solea solea*). Parasitology 66, 101-122.
187. KEARN, G.C.; 1974: Nocturnal hatching in the monogenean skin parasite *Entobdella hippoglossi* from the halibut, *Hippoglossus hippoglossus*. Parasitology 68, 161-172.
188. KEARN, G.C.; 1974: The effects of fish skin mucus on hatching in the monogenean parasite *Entobdella soleae* from the skin of the common sole, *Solea solea*. Parasitology 68, 173-188.
189. KEARN, G.C.; 1974: A comparative study of the glandular and excretory system of the oncomiracidia of the monogenean skin parasites *Entobdella hippoglossi*, *E. diadema* and *E. soleae*. Parasitology 69, 257-269.
190. KEARN, G.C.; 1975: Hatching in the monogenean parasite *Dictyocotyle coeliaca* from the body cavity of *Raja naevus*. Parasitology 70, 87-94.
191. KHALIL, L.F.; 1968: Larval nematodes in juvenile and adult herring. J.Cons.perm.int.Explor.Mer 12, 1-4.
192. KHALIL, L.F.; 1968: Anisakiasis - "Herring-worm disease" - the *Anisakis*-type larval in the herring of the North Sea. Trans.R.Soc.trop.Med.Hyg. 62, 11.

193. KHALIL, L.F.; 1969: Larval nematodes in the herring (*Clupea harengus*) from British coastal waters and adjacent territories. *J.mar.biol.Ass.U.K.* 49, 641-659.
194. KIETZMANN, U.; PRIEBE, K.; RAKOW, D. & REICHSTEIN, K.; 1969: (Marine fish as food). *Seefisch als Lebensmittel*. P.Parey, Berlin, 368pp.
195. KNIGHT-JONES, E.W.; 1962: The systematics of marine leeches. in: MANN, K.H.: "Leeches (Hirudinea). Their structure, physiology, ecology, and embryology." Pergamon Press, Oxford, 168-186.
196. KOCK, K.H.; 1974: (Studies on the tagging mortality, tag losses, and on behaviour of tagged cad (*Gadus morhua* L.) in the western Baltic.) *Untersuchungen über markierungsbedingte Sterblichkeit, Markenverluste und Verhaltensweisen gekennzeichneteter Dorsche (Gadus morhua L.) in der westlichen Ostsee*. Diplomarb.mat.nat.Fak.Univ.Kiel, 90pp.
197. KOCK, K.H.; 1975: (Studies on the tagging mortality and tag losses in cod (*Gadus morhua* L.) of the western Baltic.) *Untersuchungen über die markierungsbedingte Sterblichkeit und Markenverluste gekennzeichneteter Dorsche (Gadus morhua L.) der westlichen Ostsee*. *Ber.dt.wiss.Kommn Meeresforsch.* 24, 189-206.
198. KOCK, K.H.; 1975: (Keeping cod (*Gadus morhua* L.) in net cages.) *Über die Hälterung von Dorschen (Gadus morhua L.) in Netzkäfigen*. *Arch.FischWiss.* 26, 35-48.
199. KOCYLOWSKA, B.; 1963: (Present status of fish diseases. Organisation of the inspection of fishes and fish products in Poland.) *Etat actuel des maladies des poissons. Organisation de l'inspection des poissons et de leurs produits de consommation en Pologne*. *Bull.Off.int.Epizoot.* 59, 89-109.
200. KOOPS, H.; 1972: Experiments on the cage farming of trouts in the western Baltic. *Int.Counc.Explor.Sea, C.M./M:7*, 17pp.
201. KOOPS, H. & MANN, H.; 1966: The cauliflower disease of eels in Germany. *Bull.Off.int.Epizoot.* 65, 991-998.
202. KOOPS, H. & MANN, H.; 1969: (Cauliflower disease of eels. Occurrence and distribution of the disease.) *Die Blumenkohlkrankheit der Aale. Vorkommen und Verbreitung der Krankheit*. *Arch.FischWiss.* 20, 5-15.
203. KOOPS, H.; MANN, H.; PFITZNER, I; SCHMID, O.J. & SCHUBERT, G.; 1970: The cauliflower disease of eels. in: → SNIESZKO, S.F. (ed.), 291-295.
204. KOTER, M.; 1962: Helminth parasites in Gobiidae of the Puck Bay. *Acta parasit.pol.* 10, 217-230.
205. KOZIKOWSKA, Z.; 1961: (Crustacea parasitica from Poland II. Results of fish investigations in the Bight of Gdansk and the Bay of Puck.) in Polish. *Wiad.parazyt.* 7 Suppl., 183-185.

180. KAHL, W.; 1938: (Nematodes in marine fishes. I. Investigations on histological alternations and cyst formations in host fishes, caused by larvae of *Porrocaecum decipiens*.) Nematoden in Seefischen. I. Erhebungen über die durch Larven von *Porrocaecum decipiens* in Fischwirten hervorgerufenen geweblichen Veränderungen und Kapselbildungen. Z.Parasitenkde 10, 415-431.
181. KAHL, W.; 1939: (Nematodes in marine fishes. II. Investigations on the infection of marine fishes with larvae of *Anacanthocheilus rotundatus* (Rudolphi) and reactions of host tissues caused by theses larvae.) Nematoden in Seefischen. II. Erhebungen über den Befall von Seefischen mit Larven von *Anacanthocheilus rotundatus* (Rudolphi) und die durch diese Larven hervorgerufenen Reaktionen des Wirtsgewebes. Z.Parasitenkde 10, 513-534.
182. KAHL, W.; 1939: (Nematodes in marine fishes. III. Statistical investigations on the infection of marine fishes with nematode larvae.) Nematoden in Seefischen. III. Statistische Erhebungen über den Nematodenbefall von Seefischen. Z.Parasitenkde 11, 16-41.
183. KEARN, G.C.; 1963: The life cycle of the monogenean *Entobdella soleae*, a skin parasite of the common sole. Parasitology 53, 253-263.
184. KEARN, G.C.; 1964: The attachment of the monogenean *Entobdella soleae* to the skin of the common sole. Parasitology 54, 327-336.
185. KEARN, G.C.; 1967: Experiments on host-finding and host-specificity in the monogenean skin parasite *Entobdella soleae*. Parasitology 57, 585-605.
186. KEARN, G.C.; 1973: An endogenous circadian hatching rhythm in the monogenean skin parasite *Entobdella soleae*, and its relationship to the activity rhythm of the host (*Solea solea*). Parasitology 66, 101-122.
187. KEARN, G.C.; 1974: Nocturnal hatching in the monogenean skin parasite *Entobdella hippoglossi* from the halibut, *Hippoglossus hippoglossus*. Parasitology 68, 161-172.
188. KEARN, G.C.; 1974: The effects of fish skin mucus on hatching in the monogenean parasite *Entobdella soleae* from the skin of the common sole, *Solea solea*. Parasitology 68, 173-188.
189. KEARN, G.C.; 1974: A comparative study of the glandular and excretory system of the oncomiracidia of the monogenean skin parasites *Entobdella hippoglossi*, *E. diadema* and *E. soleae*. Parasitology 69, 257-269.
190. KEARN, G.C.; 1975: Hatching in the monogenean parasite *Dictyocotyle coeliaca* from the body cavity of *Raja naevus*. Parasitology 70, 87-94.
191. KHALIL, L.F.; 1968: Larval nematodes in juvenile and adult herring. J.Cons.perm.int.Explor.Mer 12, 1-4.
192. KHALIL, L.F.; 1968: Anisakiasis - "Herring-worm disease" - the Anisakis-type larval in the herring of the North Sea. Trans.R.Soc.trop.Med.Hyg. 62, 11.



193. KHALIL, L.F.; 1969: Larval nematodes in the herring (*Clupea harengus*) from British coastal waters and adjacent territories. *J.mar.biol.Ass.U.K.* 49, 641-659.
194. KIETZMANN, U.; PRIEBE, K.; PAKOW, D. & REICHSTEIN, K.; 1969: (Marine fish as food). *Seefisch als Lebensmittel*. P.Parey, Berlin, 368pp.
195. KNIGHT-JONES, E.W.; 1962: The systematics of marine leeches. in: MANN, K.H.: "Leeches (Hirudinea). Their structure, physiology, ecology, and embryology." Pergamon Press, Oxford, 168-186.
196. KOCK, K.H.; 1974: (Studies on the tagging mortality, tag losses, and on behaviour of tagged cod (*Gadus morhua* L.) in the western Baltic.) *Untersuchungen über markierungsbedingte Sterblichkeit, Markenverluste und Verhaltensweisen gekennzeichneteter Dorsche (Gadus morhua L.) in der westlichen Ostsee*. Diplomarb.mat.nat.Fak.Univ.Kiel, 90pp.
197. KOCK, K.H.; 1975: (Studies on the tagging mortality and tag losses in cod (*Gadus morhua* L.) of the western Baltic.) *Untersuchungen über die markierungsbedingte Sterblichkeit und Markenverluste gekennzeichneteter Dorsche (Gadus morhua L.) der westlichen Ostsee*. *Ber.dt.wiss.Kommn Meeresforsch.* 24, 189-206.
198. KOCK, K.H.; 1975: (Keeping cod (*Gadus morhua* L.) in net cages.) *Über die Hälterung von Dorschen (Gadus morhua L.) in Netzkäfigen*. *Arch.FischWiss.* 26, 35-48.
199. KOCYLOWSKA, B.; 1963: (Present status of fish diseases. Organisation of the inspection of fishes and fish products in Poland.) *Etat actuel des maladies des poissons. Organisation de l'inspection des poissons et de leurs produits de consommation en Pologne*. *Bull.Off.int.Epizoot.* 59, 89-109.
200. KOOPS, H.; 1972: Experiments on the cage farming of trouts in the western Baltic. *Int.Counc.Explor.Sea, C.M./M:7*, 17pp.
201. KOOPS, H. & MANN, H.; 1966: The cauliflower disease of eels in Germany. *Bull.Off.int.Epizoot.* 65, 991-998.
202. KOOPS, H. & MANN, H.; 1969: (Cauliflower disease of eels. Occurrence and distribution of the disease.) *Die Blumenkohlkrankheit der Aale. Vorkommen und Verbreitung der Krankheit*. *Arch.FischWiss.* 20, 5-15.
203. KOOPS, H.; MANN, H.; PFITZNER, I.; SCHMID, O.J. & SCHUBERT, G.; 1970: The cauliflower disease of eels. in: → SNIESZKO, S.F. (ed.), 291-295.
204. KOTER, M.; 1962: Helminth parasites in Gobiidae of the Puck Bay. *Acta parasit.pol.* 10, 217-230.
205. KOZIKOWSKA, Z.; 1961: (Crustacea parasitica from Poland II. Results of fish investigations in the Bight of Gdansk and the Bay of Puck.) in Polish. *Wiad.parazyt.* 7 Suppl., 183-185.

206. KOZIKOWSKA, Z.; 1965: (Parasitic crustacea from Poland. III. Results of investigations on fishes from the coast of the central Baltic). Crustacés, parasites des poissons de la Pologne. III. Résultats des explorations sur les poissons de la côte méridionale de la mer Baltique. Pol.Arch.Hydrobiol. 13, 97-104.
207. KØIE, M.; 1975: On the morphology and life-history of *Opechona bacillaris* (Molin, 1859) Looss, 1907 (Trematoda, Lepocreadiidae). *Ophelia* 13, 63-86.
208. KØIE, M.; 1976: On the morphology and life-history of *Zoogonoides viviparus* (Olsson, 1868) Odhner, 1902 (Trematoda, Zoogonidae). *Ophelia* 15, 1-14.
209. KREIS, H.A.; 1952: (Contributions to the knowledge of parasitic nematodes. X. Parasitic nematodes from the region of Faröer.) Beiträge zur Kenntnis parasitischer Nematoden. X. Parasitische Nematoden aus der Umgebung der Faröer. Vidensk.Meddr dansk naturh.Foren. 11, 251-307.
210. KRONGÅRD KRISTENSEN, K.; 1973: ((Endopathogenic vibriosis). Enteropatogene vibrio. Nord.VetMed. 25, 420-429.
211. KRYVI, H.; 1972: The ultrastructure of the external tegument of *Derogenes varicus* and *Hemiurus communis* (Trematoda). Norw.J.Zool. 20, 243-254.
212. KUHLOW, F.; 1952: (Morphology and differentiation of native *Diphyllbothrium-plerocercoids*.) Bau und Differentialdiagnose einheimischer *Diphyllbothrium-Plerocercoides*. Z.Tropenmed.Parasitenkde 4, 186-202.
213. KUIPERS, F.C.; 1964: Eosinophilic phlegmonous inflammation of the alimentary canal caused by a parasite from the herring. 8th Conf.int.Soc.Geogr.Path., Milano 1963, Path.Microbiol. 27, 925-930.
214. KUIPERS, F.C.; 1964: (Pathogenesis of herring-worm phlegmon in man.) Pathogenese van de haringworm-flegmone bij de mens. Ned.Tijdschr.Geneesk. 108, 304-305.
215. KUIPERS, F.C.; 1967: (Tumour in the small intestine, following a herring-worm phlegmon.) Stenose van de dunne darm als laat gevolg van een haringwormflegmone. Ned.Tijdschr.Geneesk. 111, 599-601.
216. KUIPERS, F.C.; VAN THIEL, P.H.; RODENBURG, W.; WIELINGA, W.J. & ROSKAM, R.T.; 1960: Eosinophilic phlegmon of the alimentary canal caused by a worm. Lancet 2, 1171-1173.
217. KUIPERS, F.C.; VAN THIEL, P.H. & ROSKAM, R.T.; 1960: (Eosinophilic phlegmon in the small intestine, caused by a non-adapted worm.) Eosinofiele flegmone van de dunne darm, veroorzaakt door een niet aan het lichaam angepasste worm. Ned.Tijdschr.Geneesk. 104, 422-427.
218. LAIRD, L.M.; ROBERTS, R.J.; SHEARER, W.M. & MCARDLE, J.F.; 1975: Freeze branding of juvenile salmon. J.Fish.Biol. 7, 167-171.

219. LAMMERT, H.; 1974: (Some observations on the parasitology of the common sole, *Solea solea*.) Einige Beobachtungen zur Parasitologie der Seesunge, *Solea solea* (L.). Ber.dt.wiss.Kommn Meeresforsch. 23, 149-152.
220. LANGE, E.; 1973: Carcinoid-like tumours in the pseudo-branch of *Gadus morhua* L. Comp.Biochem.Physiol. 45A, 477-481.
221. LAVERACK, M.S. & BLACKLER, M.; 1974: Fauna and flora of St.Andrews Bay. Scott.Acad.Press, Edinburgh, 310pp.
222. LEWIS, D.H.; KLONTZ, G.W.; MCCONNELL, S. & GRUMBLES, L.C.; 1970: Infectious diseases and host responses of marine fish. A partially annotated bibliography. Rep.Vet.Microbiol.Coll.VetMed., Texas A&M Univ., 104pp.
223. LJUNGBERG, O.; 1963: Report on fish diseases and inspection of fish products in Sweden. Bull.Off.int.Epizoot. 59, 111-120.
224. LLEWELLYN, J. & TULLY, C.M.; 1969: A comparison of speciation in Diclidophorinean monogenean gill parasites and in their fish hosts. J.Fish.Res.Bd Can. 26, 1063-1076.
225. LÖLIGER-MÜLLER, B.; 1955: (Nematode larvae from the body cavity of herring.) Nematoden-Larven aus der Bauchhöhle des Herings. Mh.VetMed. 10, 486-489.
226. LUBIENICKI, B.; 1972: The occurrence of *Anisakis* sp. larvae (Nematoda) in herring from the southern Baltic. Int.Counc.Explor.Sea, C.M./H:21, 3pp.
227. LUBIENICKI, B.; 1976: Aspects of the biology of the plerocercoid of *Grillotia erinaceus* (van Beneden, 1858) (Cestoda: Trypanorhyncha) in haddock *Melanogrammus aeglefinus* (L.). J.Fish Biol. 8, 431-440.
228. LÜHMANN, M. & MANN, H.; 1956: (Observations on cauliflower disease of eel.) Beobachtungen über die Blumenkohlkrankheit der Aale. Arch.FischWiss. 7, 229-239.
229. LÜLING, K.H.; 1953: (Parasitic copepoda.) Schmarotzende Ruderfußkrebse. Akad.Verlagsges., Leipzig, 60pp.
230. LÜLING, K.H.; 1953: (Tissue lesions caused by parasitic copepods, especially by *Elytrophora brachyptera* (Gerstaecker).) Gewebeschäden durch parasitäre Copepoden, besonders durch *Elytrophora brachyptera* (Gerstaecker). Z.Parasitenkde 16, 84-92.
231. LÜLING, K.H. & MANN, H.; 1952: (Harmful crustacean parasites on cod.) Schädliche Krebsparasiten beim Kabeljau. Fischereiwelt 4, 87-89.
232. LUNDBECK, J.; 1928: (Observations on deformities and diseases of cod from the East Prussian coast.) Beobachtungen über Mißbildungen und Erkrankungen von Dorschen an der ostpreußischen Küste. Z.Fisch. 26, 457-472.

233. LUNDSTRÖM, A.; 1942: (Acanthocephala of Sweden (except those from freshwater fishes).) Die Acanthocephalen Schwedens (außer von Süßwasserfischen). Diss.phil.Fak.Univ.Lund, 238pp.
234. LYONS, K.M.; 1969: The fine structure of the body wall of *Gyrocotyle urna*. Z.Parasitenkde 33, 95-109.
235. MACDONALD, S. & CALEY, J.; 1975: Sexual reproduction in the monogenean *Diclidophora merlangi*: tissue penetration by sperms. Z.Parasitenkde 45, 323-334.
236. MACKENZIE, K.; 1963: *Stichocotyle nephrops* Cunningham, 1887 (Trematoda) in Scottish waters. Ann.Mag.nat.Hist., ser. 13, 6, 505-506.
237. MACKENZIE, K.; 1965: The plerocercoid of *Gilquinia squali* Fabricius, 1794. Parasitology 55, 607-615.
238. MACKENZIE, K.; 1968: Some parasites of O-group plaice, *Pleuronectes platessa* L., under different environmental conditions. Mar.Res. 1968, (3), 23pp.
239. MACKENZIE, K.; 1968: *Scyphidia* (Gerda) *adunconucleata* n.sp. and *Trichodina borealis* (Dogiel, 1940) Shulman et Shulman-Albova, 1953 (Protozoa Ciliata) from young plaice in Scottish waters. J.Fish Biol. 1, 239-247.
240. MACKENZIE, K.; 1969: *Gyrodactylus unicopula* Glukhova, 1955, from young plaice *Pleuronectes platessa* L. with notes on the ecology of the parasite. J.Fish Biol. 2, 23-34.
241. MACKENZIE, K.; 1971: Ecological studies of some parasites of juvenile plaice. Diss.Dep.Agric.Fish., Aberdeen.
242. MACKENZIE, K.; 1974: The use of parasites in tracing herring recruitment migrations. Int.Counc.Explor.Sea, C.M./H:31, 2pp.
243. MACKENZIE, K.; 1974: Immature digeneans from the alimentary tract of larval and juvenile stages of haddock, *Melanogrammus aeglefinus* (L.). J.Fish Biol. 6, 103-106.
244. MACKENZIE, K.; 1975: Some aspects of the biology of the plerocercoid of *Gilquinia squali* Fabricius 1794 (Cestoda: Trypanorhyncha). J.Fish Biol. 7, 321-327.
245. MACKENZIE, K.; 1975: *Renicola metacercariae* (Digenea: Renicolidae) in clupeoid fish: new host records. J.Fish Biol. 7, 359-360.
246. MACKENZIE, K.; 1975: Parasites as indicators of herring migrations in the North Sea and to the north and west of Scotland. Int.Counc.Explor.Sea, C.M./H:42, 4pp.
247. MACKENZIE, K. & GIBSON, D.I.; 1970: Ecological studies of some parasites of plaice and flounder. Symp.Br.Soc.Parasit. 8, 1-42.
248. MACKENZIE, K. & LIVERSIDGE, J.M.; 1975: Some aspects of the biology of the cercaria and metacercaria of *Stephanostomum baccatum* (Nicoll, 1907) Manter, 1934 (Digenea: Acanthocolpidae). J.Fish Biol. 7, 247-256.
249. MACKENZIE, K.; SMITH, J.W. & WOOTEN, R.; 1974: The case of the mussel-bound fish. Scott.Fish.Bull. 41, 38.

250. MACKENZIE, K. & WOOTTEN, R.; 1973: Parasites as biological tags for whiting populations in the northern North Sea. Int.Counc.Explor.Sea, C.M./F:48, 7pp.
251. MALMBERG, G.; 1957: (On the occurrence of Gyrodactylus on Swedish fishes.) Om förekomsten av Gyrodactylus på svenska fiskar. Skr.söd.Sver.FiskFör. 1956, 19-76.
252. MALMBERG, G.; 1964: Taxonomical and ecological problems in Gyrodactylus (Trematoda, Monogenea). in: ERGENS, R. & RYSAVY, B. (eds): "Parasitic worms and aquatic conditions." Publ.House Czech.Acad.Sci., Prague, 203-230.
253. MALMBERG, G.; 1969: The protonephridia of the genus Gyrodactylus (Monogenoidea). Parazit.Sb. 24, 166-168.
254. MALMBERG, G.; 1970: The excretory system and the marginal hooks as a basis for the systematics of Gyrodactylus (Trematoda, Monogenea). Ark.Zool. 23, 1-235.
255. MALMBERG, G.; 1970: Gyrodactylus species of Finnish, Norwegian and Swedish edible fish. Norw.J.Zool. 18, 102-103.
256. MALMBERG, G.; 1971: On the proceroid protonephridial systems of three Diphyllbothrium species (Cestoda, Pseudophyllidea) and Janicki's cercomer theory. Zool.Scripta 1, 43-56.
257. MALMBERG, G.; 1972: On the early development of the protonephridial systems in some species belonging to the genera Diphyllbothrium, Triaenophorus and Schistocephalus (Cestoda, Pseudophyllidea). Zool.Scripta 1, 227-228.
258. MALMBERG, G.; 1974: On the larval protonephridial system of Gyrocotyle and the evolution of Cercomorphae (Platyhelminthes). Zool.Scripta 3, 65-81.
259. MALMBERG, G. & MALMBERG, M.; 1970: (Dactylogyrus and Gyrodactylus. Two common parasites on Swedish fishes.) Dactylogyrus och Gyrodactylus. Två vanliga parasiter på svenska fiskar. Zool.Revy 32, 9-18.
260. MANN, H.; 1952: (Lernaeocera branchialis (Copepoda parasitica) and its detrimental effect on some Gadidae.) Lernaeocera branchialis (Copepoda parasitica) und seine Schadwirkung bei einigen Gadiden. Arch.FischWiss. 4, 133-144.
261. MANN, H.; 1954: (The economic importance of diseases of marine fishes.) Die wirtschaftliche Bedeutung von Krankheiten bei Seefischen. Fischwirtschaft, Bremerhaven 6, 16-17.
262. MANN, H.; 1960: (Detrimental effect of the parasitic copepod Lernaeocera branchialis on the growth of whiting.) Schadwirkung des parasitischen Copepoden Lernaeocera branchialis auf das Wachstum von Wittlingen. Infn Fischw. 7, 153-155.
263. MANN, H.; 1965: (Occurrence, distribution and detrimental effect of Lernaeocera minuta T.Scott (Copepoda parasitica).) Vorkommen, Verbreitung und Schadwirkung von Lernaeocera minuta T.Scott (Copepoda parasitica). Veröff Inst Meeresforsch Bremerh 9, 79-83

264. MANN, H.; 1970: (On the infection of flatfishes in the North Sea with Lymphocystis.) Über den Befall der Plattfische der Nordsee mit Lymphocystis. Ber.dt.Kommn Meeresforsch. 21, 219-223.
265. MANN, H.; 1970: Copepods and isopods as parasites of marine fishes. in:→ SNIESZKO, S.F. (ed.), 177-189.
266. MANTER, H.W.; 1955: The zoogeography of trematodes of marine fishes. Expl Parasit. 4, 62-86.
267. MARGOLIS, L.; KABATA, Z. & PARKER, R.R.; 1975: Catalog and synopsis of Caligus, a genus of copepoda (Crustacea) parasitic on fishes. Bull.Fish.Res.Bd Can. 192, 1-117.
268. MARKEWITCH, A.P.; 1932: (Parasitic carcinofauna of fishes from the Gulf of Finland.) in Russian. Trudy zool.Inst.Leningr. 1, 347-363.
269. MARKOWSKI, S.; 1933: (Intestinal worms from fishes of the Polish part of the Baltic.) Die Eingeweidewürmer der Fische des polnischen Balticums. Archwm Hydrobiol.Ryb. 7, 1-53.
270. MARKOWSKI, S.; 1935: (On the developmental cycle of Bothriocephalus scorpii (Müller 1776).) Über den Entwicklungszyklus von Bothriocephalus scorpii (Müller 1776). Bull.Acad.pol.Sci.Cl.II, sér.sci.biol. 2, 1-17.
271. MARKOWSKI, S.; 1935: (Effect of environmental changes on the development of eggs of Bothriocephalus scorpii (Müller 1776).) Einfluß der Milieuveränderungen auf die Entwicklung der Eier von Bothriocephalus scorpii (Müller 1776). Bull.Acad.pol.Sci.Cl.II, sér.sci.biol. 2, 49-58.
272. MARKOWSKI, S.; 1935: (Parasitic worms of Gobius minutus Pall. from the Polish part of the Baltic.) Die parasitischen Würmer von Gobius minutus Pall. des polnischen Balticums. Bull.Acad.pol.Sci.Cl.II, sér.sci.biol. 2, 251-260.
273. MARKOWSKI, S.; 1937: (On life-history and biology of the nematode Contracaecum aduncum (Rudolphi 1802).) Über die Entwicklungsgeschichte des Nematoden Contracaecum aduncum (Rudolphi). Bull.int.Acad.pol.Sci.Lett. 2, 227-247.
274. MARKOWSKI, S.; 1938: (On the helminth fauna of the Baltic eelpout (Zoarces viviparus L.).) Über die Helminthenfauna der baltischen Aalmutter (Zoarces viviparus L.). Zoologica Pol. 3, 89-103.
275. MARQUARD, O.; 1936: (Head deformities of cod from the Baltic.) Kopfmißbildungen an Dorschen der Ostsee. Z.Fisch. 34, 249-256.
276. MATTHEIS, T.; 1960: (Eel kill at the coast of the Baltic between Usedom and Wismar in summer 1959.) Das Aalsterben an der Ostseeküste zwischen Usedom und Wismar im Sommer 1959. Dt.FischZtg, Radebeul 7, 23-25.

277. MATTHEIS, T.; 1964: (Occurrence of *Vibrio anguillarum* in Baltic fishes.) Das Vorkommen von *Vibrio anguillarum* in Ostseefischen. *Z.Fisch.* 12, 259-263.
278. MAWDESLEY-THOMAS, L.E.; 1971: Neoplasia in fish: a review. in: CHENG, T.C. (ed.): "Current topics in comparative pathobiology." Academic Press, New York, 88-170.
279. MAWDESLEY-THOMAS, L.E. (ed.); 1972: Diseases of fishes. *Symp.zool.Soc.Lond.* 30, 1-380.
280. MAWDESLEY-THOMAS, L.E.; 1972: Some tumours of fish. *Symp.zool.Soc.Lond.* 30, 191-283.
281. MAWDESLEY-THOMAS, L.E.; 1972: Some aspects of neoplasia in marine animals. *Adv.mar.biol.* 12, 151-231.
282. MAWDESLEY-THOMAS, L.E.; 1975: Neoplasia in fish. in: RIBELIN, W.E. & MIGAKI, G. (eds), 805-870.
283. MCINTOSH, W.C.; 1927: Additions to the marine fauna of St.Andrews since 1874. *Ann.Mag.nat.Hist.*, ser. 9, 19, 49-94.
284. MCQUEEN, A.; MACKENZIE, K.; ROBERTS, R.J. & YOUNG, H; 1973: Studies on the skin of plaice (*Pleuronectes platessa* L.). III. The effect of temperature on the inflammatory response to the metacercariae of *Cryptocotyle lingua* (Creplin, 1825) (Digenea: Heterophyidae). *J.Fish Biol.* 5, 241-247.
285. MCVICAR, A.H.; 1972: The ultrastructure of the parasite - host interface of three tetraphyllidean tapeworms of the elasmobranch *Raja naevus*. *Parasitology* 65, 77-88.
286. MCVICAR, A.H.; 1976: *Echinobothrium harfordi* sp.nov. (Cestoda: Diphyllidae) from *Raja naevus* in the North Sea and English Channel. *J.Helminth.* 50, 31-38.
287. MCVICAR, A.H. & FLETCHER, T.C.; 1970: Serum factors in *Raja radiata* toxic to *Acanthobothrium quadripartitum* (Cestoda, Tetraphyllidea), a parasite specific to *R. naevus*. *Parasitology* 61, 55-63.
288. MCVICAR, A.H. & GIBSON, D.; 1975: *Pancreatonema torriensis* gen.nov., sp.nov. (Nematoda: Rhabdochonidae) from the pancreatic duct of *Raja naevus*. *Int.J.Parasit.* 5, 529-535.
289. MCVICAR, A.H. & MACKENZIE, K.; 1972: A fungus disease of fish. *Scott.Fish.Bull.* 37, 27-28.
290. MERKELBACH, J.W.; 1964: (A fisherman with herring-worm disease (anisakiasis) in the rectum.) Een visser met haringwormziekte (anisakiasis) van het rectum. *Ned.Tijdschr.Geneesk.* 108, 2131-2132.
291. MESKAL, F.H.; 1967: Seasonal fluctuation in the population of two common trematode species from the stomach of the cod. *Sarsia* 26, 13-20.

292. MIKKELSEN, E.; 1976: (Vibrio anguillarum. The occurrence of Vibrio anguillarum in relation to fish and shellfish.) Vibrio anguillarum. Der ønskes en redegørelse for Vibrio anguillarum og dens forekomst i relation til fisk og skaldyr. Institut for Sporeplanter, Københavns Universitet 66pp.
293. MÖLLER, H.; 1972: (Investigations on the parasites of flatfishes from Kiel Fjord.) Untersuchungen über den Parasitenbefall der Plattfische in der Kieler Förde. Diplomarb.mat.nat.FakUniv.Kiel, 72pp.
294. MÖLLER, H.; 1974: (Investigations on parasites of the flounder (Platichthys flesus L.) in the Kiel Fjord.) Untersuchungen über die Parasiten der Flunder (Platichthys flesus L.) in der Kieler Förde. Ber.dt.wiss.Kommn Meeresforsch. 23, 136-149.
295. MÖLLER, H.; 1974: Ichthyosporidium hoferi (Plehn et Mulsow) (Fungi) as parasite in the Baltic cod (Gadus morhua L.). Kieler Meeresforsch. 30, 37-41.
296. MÖLLER, H.; 1974: Investigations on fish parasites in the Kiel Fjord (Western Baltic). Int.Counc.Explor.Sea, C.M./E:43, 9pp.
297. MÖLLER, H.; 1975: (Influence of temperature and salinity on development and distribution of fish parasites.) Der Einfluß von Temperatur und Salzgehalt auf Entwicklung und Verbreitung von Fischparasiten. Diss.mat.nat.Fak.Univ.Kiel, 108pp.
298. MÖLLER, H.; 1975: Parasitological investigations on the European eelpout (Zoarces viviparus L.) in the Kiel-Fjord (Western Baltic). Ber.dt.wiss.Kommn Meeresforsch. 24, 63-70.
299. MÖLLER, H.; 1975: (Parasites of cod (Gadus morhua L.) in the Kiel-Fjord.) Die Parasiten des Dorsches (Gadus morhua L.) in der Kieler Förde. Ber.dt.wiss.Kommn Meeresforsch. 24, 71-78.
300. MÖLLER, H.; 1975: (Identification tables for fish parasites from the Kiel Bight.) Bestimmungstabellen für die Fischparasiten der Kieler Bucht. Ber.Inst.Meeresk.Kiel 10, 32pp.
301. MÖLLER, H.; 1975: Bibliography on parasites and diseases of marine fishes from North Sea and Baltic Sea. Ber.Inst.Meeresk. 15, 35pp.
302. MÖLLER, H.; 1976: Reduction of the intestinal parasite fauna of marine fishes in captivity. J.mar.biol.Ass.U.K. 56, 781-785.
303. MULICKI, Z.; 1947: (The food and the feeding habit of the flounder (Pleuronectes flesus L.) in the Gulf of Gdansk.) in Polish. Archwm Hydrobiol.Ryb. 13, 221-259.
304. NAKANISHI, H.; LEISTNER, L.; HECHELMANN, H. & BAUMGART, J.; 1968: (Further investigations on the occurrence of Vibrio parahaemolyticus and Vibrio alginolyticus in marine fish from Germany). Weitere Untersuchungen über das Vorkommen von Vibrio parahaemolyticus und Vibrio alginolyticus bei Seefischen in Deutschland. Arch.Lebensmittelhyg. 19, 49-53.



305. NIERSTRASZ, H.F. & SCHUURMANS STEKHOVEN, J.H.; 1930:  
(Isopoda genuina.) in German.  
in: → GRIMPE, G. & WAGLER, E. (eds), Vol. 10.e<sub>2</sub>, 57-133.
306. NOBLE, E.R.; 1973: Parasitism of deep-sea fishes.  
Adv.mar.Biol. 11, 121-195.
307. NOBLE, E.R.; ORIAS, J.D. & RODELLA, T.D.; 1972: Parasitic  
fauna of the deepsea fish, *Macrourus rupestris*  
(Gunnerus) from Korsfjorden, Norway.  
Sarsia 50, 47-50.
308. NORDENBERG, C.B.; 1962: (Occurrence of lymphocystis  
disease in plaice and flounder from Öresund.) Das  
Vorkommen der Lymphocystiskrankheit bei Scholle und  
Flunder im Öresund.  
K.fysiogr.Sällsk.Lund Förh. 32, 17-26.
309. NORDENBERG, C.B.; 1963: Ichthyo-parasitological studies  
on Baltic cod. K.fysiogr.Sällsk.Lund Förh. 33, 49-61.
310. NORDENBERG, C.B.; 1963: Studies on the relations of fish,  
food, intestinal parasites in cod, whiting and  
haddock. Acta Univ.lund., Avd. 2, 58, 1-54.
311. NYBELIN, O.; 1935: (Investigations on the bacterium  
*Vibrio anguillarum*, a pathogen of fishes.) Untersu-  
chungen über den bei Fischen krankheitserregenden  
Spaltpilz *Vibrio anguillarum*.  
Meddn St.Unders.-o.FörsAnst.SötvattFisk. 8, 1-62.
312. NYBELIN, O.; 1935: (On the formation of agglutinin  
in fishes.) Über Agglutininbildung bei Fischen.  
Z.ImmunForsch.expl Ther. 84, 74-79.
313. NYBELIN, O.; 1941: (*Dictyocotyle coeliaca* n.g.n.sp..  
A monogenean trematode living in body cavities.)  
*Dictyocotyle coeliaca* n.g.n.sp.. Ein leibeshöhlen-  
bewohnender monogenetischer Trematode. Göteborgs  
K.Vetensk.-o.Vitterh.Samh.Handl., 6.följd., ser. B,  
1, 1-19.
314. OGDEN, C.G.; 1965: A new species of *Capillaria* (Nematoda),  
*C. wickinsi* sp.nov., from the marine fish, *Pleuro-  
nectes platessa*. Ann.Mag.nat.Hist., ser. 13, 8,  
451-453.
315. OJALA, O.; 1963: Fish diseases in Finland.  
Bull.Off.int.Epizoot. 59, 31-42.
316. OJALA, O.; 1968: Observations on the occurrence of  
*Aeromonas hydrophila* and *A. punctata* in fish.  
Bull.Off.int.Epizoot. 69, 1107-1123.
317. ORRHAGE, L.; 1973: Description of the metacercaria of  
*Zoogonoides viviparus* (Olsson, 1868) Odhner, 1902  
with some remarks on life cycles in the genus *Zoogono-  
ides* (Trematoda, Digenea, Zoogonoidae).  
Zool.Scripta 2, 179-182.
318. PARKER, R.R.; KABATA, Z.; MARGOLIS, L. & DEAN, M.D.; 1968:  
A review and description of *Caligus curtus* Müller,  
1785 (Caligidae: Copepoda), type species of its genus.  
J.Fish.Res.Bd Can. 25, 1923-1969.

319. PAVLOVSKII, E.N. (ed.); 1964: Key to parasites of fresh-water fish of the U.S.S.R.. Engl.transl.: Israel Progr.sci.Transl., Jerusalem, 1964, 919pp.
320. PAWLOWSKI, L.K.; 1968: (Hirudinea.) in Polish. Katalog fauny polski 11(3), 1-94.
321. PEARSON, W.E.; 1966: Diseases of fish in Britain with some notes on British fish culture. Bull.Off.int.Epizoot. 65, 1027-1038.
322. PETERS, G.; 1975: Seasonal fluctuations in the incidence of epidermal papillomas of the European eel *Anguilla anguilla* L.. J.Fish Biol. 7, 415-422.
323. PETERS, G.; 1976: The papillomatosis (cauliflower disease) of the European eel (*Anguilla anguilla*): fluctuations in the rate of incidence in the Elbe and their causes. Int.Counc.Explor.Sea, Symposium on Eel Research and Management 24, 14pp.
324. PETERS, N. & FRÖHLICH, K.H.; 1972: (Experimental reversion of tumour cells in vivo.) Experimentelle Reversion von Tumorzellen in vivo. Experientia 28, 319-321.
325. PETERS, N. & PETERS, G.; 1970: (Tumourgenesis, an energy problem of the cell? Investigations on papillomas of the European eel, *Anguilla anguilla* (L.). Tumorgenese, ein Energieproblem der Zelle? Untersuchungen an Papillomen des europäischen Aals, *Anguilla anguilla* (L.). Arch.FischWiss. 21, 238-257.
326. PETERS, N.; PETERS, G. & BRESCHING, G.; 1972: (Redifferentiation and growth reduction of epidermal tumours of European eel influenced by quinine sulphate.) Redifferenzierung und Wachstumshemmung von epidermalen Tumoren des europäischen Aals unter Einwirkung von Chininsulfat. Arch.FischWiss. 23, 47-63.
327. PETERS, N. & WILKE, R.; 1972: (Proliferations of fish epidermis influenced by glycolysis inhibitors.) Proliferationen der Fischepidermis nach der Einwirkung von Inhibitoren des glykolytischen Energiestoffwechsels. Experientia 28, 315-317.
328. PETRUSHEVSKI, G.K.; 1931: (On the distribution of plerocercoids of *Diphyllbothrium latum* in the fishes of Newa Bight.) Über die Verbreitung der Plerocercoiden von *Diphyllbothrium latum* in den Fischen der Newabucht. Zool.Anz. 94, 139-147.
329. PETRUSHEVSKI, G.K.; 1931: On parasites of fishes from the Gulf of Finland.) in Russian. Izv.leningr.nauchno-issled.ikhtiol.Inst. 12, 98-103.
330. PETRUSHEVSKI, G.K.; 1931: (On the distribution of larvae of the broad tapeworm in the Gulf of Finland.) in Russian. Izv.leningr.nauchno-issled.ikhtiol.Inst. 12, 105-112.
331. PETRUSHEVSKI, G.K. & SHULMAN, S.S.; 1955: (Liver nematode infestations of the Baltic cod.) in Russian. Liet.TSR Mokslu Akad.biol.Inst.Darb. 2.

332. PETRUSHEVSKI, G.K. & SHULMAN, S.S.; 1970: The parasitic diseases of fishes in the natural waters of the USSR. in: → DOGIEL, V.A. & al. (eds), 299-319.
333. PFITZNER, I.; 1969: (On the etiology of cauliflower disease of eels.) Zur Aetiologie der Blumenkohlkrankheit der Aale. Arch.FischWiss. 20, 24-35.
334. PIPPY, J.H. & BANNING, P.; 1975: Identification of Anisakis larva (I) as Anisakis simplex (Rudolphi, 1809, det. Krabbe, 1878) (Nematoda: Ascaridata). J.Fish.Res.Bd Can. 32, 29-32.
335. POHL, E.; 1956: (On parasitic worms of some Baltic fishes.) Über die parasitischen Würmer einiger Ostseefische. Probleme Parasitol. 1956, 264-267.
336. POLAK, M.F.; 1965: (Herring-worm disease.) Haringwormziekte. Ned.Tijdschr.Geneesk. 109, 1004-1005.
337. POLAK, M.F.; 1966: (Herring-worm disease in 1965.) Haringwormziekte in 1965. Ned.Tijdschr.Geneesk. 110, 1029-1030.
338. POLAK, M.F. & KAMPELMACHER, E.H.; 1967: (Herring-worm disease in 1965 and the years before.) Haringwormziekte in 1965 en in voorgaande Jaren. Versl.Meded.betr.Volksgezondh. 1967, 344-354.
339. POLYANSKI, Y.I.; 1970: Ecology of parasites of marine fishes. in: → DOGIEL, V.A. & al. (eds), 48-83.
340. POLYANSKI, Y.I.; 1970: Zoogeography of the parasites of USSR marine fishes. in: → DOGIEL, V.A. & al. (eds), 230-245.
341. POULSEN, E.; 1939: Investigations upon the parasitic copepod Clavella uncinata (O.F.Müller) in Danish waters. Vidensk.Meddr dansk naturh.Foren. 102, 223-244.
342. PRIEBE, K.; 1963: (Some little known parasitological data of nutritional significance from marine fishes.) Einige wenig bekannte, lebensmittelhygienisch bedeutsame Befunde bei Meeresfischen. Arch.Lebensmittelhyg. 14, 257-260.
343. PRIEBE, K.; 1968: (Some observations by controlling the handling with marine fish). Besondere Befunde bei der Überwachung des Verkehrs mit Seefischen. Arch.Lebensmittelhyg. 19, 43-44.
344. PRIEBE, K.; 1971: (On the distribution of infection of angler (Lophius piscatorius) with Nosema lophii on fishing grounds of the eastern North Atlantic.) Zur Verbreitung des Befalls des Seeteufels (Lophius piscatorius) mit Nosema lophii auf Fischfangplätzen im östlichen Nordatlantik. Arch.FischWiss. 22, 98-102.
345. PRIEBE, K.; 1971: (Nutritional significance in infections of marine fishes with nematode larvae.) Die lebensmittelhygienische Bedeutung des Nematodenlarvenbefalls bei Seefischen. Arch.Lebensmittelhyg. 22, 193-200.

346. PRIEBE, K.; JENDRUSCH, H. & HAUSTEDT, U.; 1973: (Problems and experiments concerning the loss of penetration ability of Anisakis larvae from herring when producing cold marinades.) Problematik und Experimentaluntersuchungen zum Erlöschen der Einbohrpotenz von Anisakis-Larven des Herings bei der Herstellung von Kaltmarinaden. Arch.Lebensmittelhyg. 24, 217-222.
347. PROST, M.; 1966: (Monogenoidea.) in Polish. Katalog fauny polski 4(1), 1-29.
348. PUNT, A.; 1941: (Investigations on some parasitic nematodes of fishes from the North Sea.) Recherches sur quelques nématodes parasites de poissons de la mer du nord. Mém.Mus.r.Hist.nat.Belg. 98, 1-100.
349. PURDOM, C.E. & HOWARD, A.E.; 1971: Ciliate infestations: a problem in marine fish farming. J.Cons.perm.int.Explor.Mer 33, 511-514.
350. RAE, B.B.; 1958: The occurrence of plerocercoid larvae of Grillotia erinaceus (van Beneden) in halibut. Mar.Res. 1958(4), 32pp.
351. RAE, B.B.; 1963: The incidence of larvae of Porrocaecum decipiens in the flesh of cod. Mar.Res. 1963(2), 28pp.
352. RAE, B.B.; 1972: A review of the cod-worm problem in the North Sea and in western Scottish waters 1958-1970. Mar.Res. 1972(2), 24pp.
353. RAE, B.B. & BURGESS, G.H.; 1970: Cod worms. Torry advisory Note 24 (revised). Torry Research Station, Dep.Trade & Ind., Edinburgh, 7pp.
354. RAHMAN, H.; 1965: Ascarophis crassicolis Dollfus and Campana-Rouget in Scottish waters. Ann.Mag.nat.Hist., ser. 13, 8, 187-192.
355. RAITT, D.S.; 1929: Cod roe attacked by amphipod crustaceans. Scott.Nat. 1929, 57-58.
356. RASMUSSEN, E.; 1975: Systematics and ecology of the Isefjord marine fauna (Denmark). Ophelia 11, 1-507.
357. RAUCK, G.; 1975: (North Sea sprat infested with the parasitic copepods Lernaeenicus sprattae (Soverby) and L.encrasicholi (Turton)). Starker Befall der Nordseesprotten durch den Parasiten Lernaeenicus sprattae (Soverby) und L.encrasicholi (Turton). Arch.FischWiss. 26, 151-153.
358. REES, G.; 1967: Pathogenesis of adult cestodes. Helminth.Abstr. 36, 1-23.
359. REICHENBACH-KLINKE, H.H.; 1951: (A new species of the trematode genus Dactylocotyle on haddock (Gadus aeglefinus L.)). Eine neue Art der Trematodengattung Dactylocotyle am Schellfisch (Gadus aeglefinus L.). Z.Parasitenkunde 15, 4-7.
360. REICHENBACH-KLINKE, H.H.; 1954: (Investigations on cysts in fishes, caused by parasites, and their effect on the body of the host. I.) Untersuchungen über die bei Fischen durch Parasiten hervorgerufenen Zysten und deren Wirkung auf den Wirtskörper. I. Z.Fisch. 3, 565-636.

361. REICHENBACH-KLINKE, H.H.; 1955: (Investigations on cysts in fishes, caused by parasites, and their effect on the body of the host. II.) Untersuchungen über die bei Fischen durch Parasiten hervorgerufenen Zysten und deren Wirkung auf den Wirtskörper. II. Z.Fisch. 4, 1-52.
362. REICHENBACH-KLINKE, H.H.; 1956: (On some hitherto unknown hyphomycetes in different freshwater and marine fishes.) Über einige bisher unbekannte Hyphomyceten bei verschiedenen Süßwasser- und Meeresfischen. Mycopath.Mycol.appl. 7, 333-347.
363. REICHENBACH-KLINKE, H.H.; 1956: (Propagation forms of the zoophagus fungus Ichthyosporidium hoferi (Plehn et Mulsow) (Fungi, Phycomycetes) in the host.) Die Vermehrungsformen des zoophagen Pilzes Ichthyosporidium hoferi (Plehn et Mulsow) (Fungi, Phycomycetes) im Wirt. Veröff.Inst.Meeresforsch.Bremerh. 4, 214-219.
364. REICHENBACH-KLINKE, H.H.; 1966: (Diseases and injuries of fishes.) Krankheiten und Schädigungen der Fische. Fischer, Stuttgart, 389pp.
365. REICHENOW, E.; 1931: (Parasitic flagellata.) Parasitische Flagellaten. in: → GRIMPE, G. & WAGLER, E. (eds), Vol. 2.e<sub>1</sub>, 1-18.
366. REICHENOW, E.; 1933: (Sporozoa.) in German. in: GRIMPE, G. & WAGLER, E. (eds), Vol. 2.g., 1-88.
367. REIMER, L.W.; 1962: (Digenetic trematodes of water birds from the Isle of Hiddensee and their larval stages from brackish waters around the island.) Die digenetischen Trematoden der Wasservögel der Insel Hiddensee und ihre Larvalstadien aus den die Insel umgebenden Brackgewässern. Diss.mat.nat.Fak.Univ.Greifswald.
368. REIMER, L.W.; 1964: The salt contents - a factor determining the development of fish- and bird trematodes in the middle Baltic Sea. in: ERGENS, R. & RYSAVIJ, R. (eds): "Parasitic worms and aquatic conditions." Czech.Akad.Sci., Prague, 63-68.
369. REIMER, L.W.; 1966: (Digenean trematodes and cestodes of Baltic fishes, their development, ecology and their use as natural tags.) Digene Trematoden und Cestoden der Ostseefische, ihre Entwicklung, Ökologie und ihre Verwendung als natürliche Fischmarken. Habil.-Schr.mat.nat.Fak.Univ.Greifswald.
370. REIMER, L.W.; 1970: (Digenean trematodes and cestodes of Baltic fishes as natural tags.) Digene Trematoden und Cestoden der Ostseefische als natürliche Fischmarken. Parasit.SchrReihe 20, 1-144.
371. REIMER, L.W.; 1975: Differences in parasitisation of sprat in the North Sea. Int.Counc.Explor.Sea, Int.Counc.Explor.Sea, C.M./H:26.
372. REIMER, L.W. & JESSEN, O.; 1972: (Infection with parasites of North Sea herring.) Parasitenbefall der Nordseeheringe. Angew.Parasitol. 13, 65-71.

373. RIBELIN, W.E. & MIGAKI, G. (eds); 1975: The pathology of fishes. University of Wisconsin Press, Madison, 1004pp.
374. ROBERTS, R.J.; 1972: Ulcerative dermal necrosis (UDN) of salmon (*Salmo salar* L.).  
Symp.zool.Soc.Lond. 30, 53-81.
375. ROBERTS, R.J.; 1973: Disease in the marine environment.  
Prevent 1, 53-57.
376. ROBERTS, R.J.; 1975: Diseases of fishes - a review.  
Vet.Ann. 15, 385-404.
377. ROBERTS, R.J.; 1975: Bacterial diseases of fishes:  
a review. Symp.Soc.appl.Bact. 8.
378. ROBERTS, R.J.; 1975: Melanin containing cells of teleost fish and their relation to disease.  
in: RIBELIN, W.E. & MIGAKI, G. (eds), 399-428.
379. ROBERTS, R.J.; 1975: The effects of temperature on disease and their histopathological manifestation in fish.  
in: RIBELIN, W.E. & MIGAKI, G. (eds), 477-496.
380. ROBERTS, R.J.; BALL, H.J.; SHEARER, W.M. & MUNRO, A.L.;  
1972: Studies in UDN of Scottish salmon. III.  
The healing process in fish maintained under experimental conditions. J.Fish Biol. 4.
381. ROBERTS, R.J.; MCQUEEN, A.; SHEARER, W.M. & YOUNG, H.;  
1973: The histopathology of salmon tagging I. The tagging lesion in new tagged parr.  
J.Fish Biol. 5, 497-503.
382. ROBERTS, R.J.; MCQUEEN, A.; SHEARER, W.M. & YOUNG, H.;  
1973: The histopathology of salmon tagging II. The chronic tagging lesion in returning adult fish.  
J.Fish Biol. 5, 615-619.
383. ROBERTS, R.J.; MCQUEEN, A.; SHEARER, W.M. & YOUNG, H.;  
1973: The histopathology of salmon tagging III. Secondary infections associated with tagging.  
J.Fish Biol. 5, 621-623.
384. ROBERTS, R.J.; SHEARER, W.M. & MUNRO, A.L.; 1972:  
Studies on ulcerative dermal necrosis of salmonids. IV. Failure to detect epithelial autoantibodies in sera from diseased fish. J.Fish Biol. 4, 21-25.
385. ROBERTS, R.J.; SHEARER, W.M.; MUNRO, A.L. & ELSON, K.G.;  
1969: The pathology of ulcerative dermal necrosis of Scottish salmon. J.Path.Bact. 97, 563-565.
386. ROBERTS, R.J.; SHEARER, W.M.; MUNRO, A.L. & ELSON, K.G.;  
1970: Studies on ulcerative dermal necrosis of salmonids. II. The sequential pathology of the lesions.  
J.Fish Biol. 2, 373-378.
387. ROBERTS, R.J. & SHEPHERD, C.J.; 1974: Handbook of trout and salmon diseases.  
Fishing News Ltd, Sussex, 168pp.
388. RØDSAETHER, M.C.; OLAFSEN, J. & RAA, J.; 1977: Copper as an initiating factor of vibriosis (*Vibrio anguillarum*) in eel (*Anguilla anguilla*). J.Fish Biol. 10, 17-21.

389. ROKICKI, J.; 1973: Helminths of certain Clupeidae, mainly of the herring *Clupea harengus* L., in south Baltic. *Acta parasit.pol.* 21, 443-464.
390. ROKICKI, J.; 1975: Helminth fauna of fishes of the Gdansk Bay (Baltic Sea). *Acta parasit.pol.* 23, 1-11.
391. RONALD, K.; 1959: A check list of the metazoan parasites of the Heterosomata. *Contr.Dep.Pêch.Quebec* 67, 1-152.
392. ROSENTHAL, H.; 1966: Parasites in herring larvae (observations in aquaria). *Int.Counc.Explor.Sea, C.M./H:2*, 3pp.
393. ROSENTHAL, H.; 1967: Parasites in larvae of the herring (*Clupea harengus* L.) fed with wild plankton. *Mar.Biol.* 1, 10-15.
394. ROSKAM, R.T.; 1960: A human disease caused by a nematode from herring. *Int.Counc.Explor.Sea, C.M./H:2*, 3pp.
395. ROSKAM, R.T.; 1963: Pathogenic aquatic animals. *Bull.Off.int.Epizoot.* 59, 135-142.
396. ROSKAM, R.T.; 1966: Anisakis larvae in North Sea herring. *Int.Counc.Explor.Sea, C.M./H:13*, 3pp.
397. ROSKAM, R.T.; 1967: Anisakis and Contracaecum larvae in North Sea herring. *Int.Counc.Explor.Sea, C.M./H:19*, 4pp.
398. RUITENBERG, E.J.; 1970: (Anisakiasis.) in Dutch. *Diss.vet.med.Fak.Univ.Utrecht*, 138pp.
399. RUITENBERG, E.J. & LOENDERSLOOT, H.J.; 1971: Histochemical properties of the excretory organ of *Anisakis* sp. larva. *J.Parasit.* 57, 1149-1150.
400. RUITENBERG, E.J. & ROSKAM, R.T.; 1969: (A simple control method of the penetration ability of *Anisakis* larvae.) Eenvoudige controlemethode op de inboringscapaciteit van *Anisakis*-larven. *Conserven* 17, 236-237.
401. RUITENBERG, E.J. & STERRENBURG, P.A.; 1970: (Serum diagnosis of anisakiasis.) De serodiagnostiek van anisakiasis. *Ned.Tijdschr.Geneesk.* 114, 1950-1953.
402. RUSSELL, P.H.; 1974: Lymphocystis in wild plaice *Pleuronectes platessa* (L.) and flounder, *Platichthys flesus* (L.), in British coastal waters. A histopathological and serological study. *J.Fish Biol.* 6, 771-778.
403. SCHÄPERCLAUS, W.; 1927: (Red disease of eel in the district of Rügen and Stralsund.) Die Rotseuche des Aales im Bezirk von Rügen und Stralsund. *Z.Fisch.* 25, 99-128.
404. SCHÄPERCLAUS, W.; 1927: (Countermeasures against Lymphocystis disease of flounder and plaice.) Lymphocystis-erkrankungen bei Flundern und Schollen und ihre Bekämpfung. *Mitt.dt.Seefischver.* 43, 3-6.
405. SCHÄPERCLAUS, W.; 1934: (Investigations on eel pests in German inland and coastal waters.) Untersuchungen über die Aalseuchen in deutschen Binnen- und Küstengewässern. *Z.Fisch.* 32, 191-217.

406. SCHÄPERCLAUS, W.; 1953: (Cauliflower disease of eel and other fishes from the Baltic.) Die Blumenkohlkrankheit der Aale und anderer Fische der Ostsee. Z.Fisch. 2, 105-124.
407. SCHÄPERCLAUS, W.; 1954: (Fish diseases.) Fischkrankheiten. Akademie-Verlag, Berlin, 708pp.
408. SCHAUM, E. & MÜLLER, W.; 1967: (Heterocheilidiasis. A human infection with larvae of ascaridae from fishes.) Die Heterocheilidiasis. Eine Infektion des Menschen mit Larven von Fisch-Ascariden. Dt.med.Wschr. 92, 2230-2232.
409. SCHMID, O.J.; 1969: (Contribution to the histology and etiology of the cauliflower disease of eel.) Beitrag zur Histologie und Ätiologie der Blumenkohlkrankheit der Aale. Arch.FischWiss. 20, 16-23.
410. SCHÖNBERG, F.; 1937: (On Lernaea branchialis L., a gill-parasite occurring frequently on Gadus species.) Über Lernaea branchialis L., einen nicht seltenen Kiemenparasiten bei den Gadusarten. Berl.Tierärztl.Wschr. 53, 642.
411. SCHRECKENBACH, K.; 1974: (Investigations on Vibrio anguillarum and experiments on active immunization of eel and trout from Vibrio anguillarum in fresh and brackish waters.) Untersuchungen über Vibrio anguillarum und Versuche zur aktiven Immunisierung von Aalen und Forellen gegen Vibrio anguillarum im Süß- und Brackwasser. Diss.Humboldt-Univ.Berlin.
412. SCHRECKENBACH, K.; 1974: (Active immunization of fishes from Vibrio anguillarum.) Aktive Immunisierung von Fischen gegen Vibrio anguillarum.) Z.Fisch. 6, 167-172.
413. SCHUBERT, G.; 1968: (Diseases of fishes.) Krankheiten der Fische. Frankh'sche Verlagsbuchhandl., Stuttgart, 63pp.
414. SCHUBERT, G.; 1969: (Electron microscope studies on the skin of eels infected with cauliflower disease.) Elektronenmikroskopische Untersuchungen an der Haut mit Blumenkohlkrankheit behafteter Aale. Arch.FischWiss. 20, 36-49.
415. SCHUURMANS STEKHOVEN, J.H.; 1935: (Nematoda parasitica.) in German. in: → GRIMPE, G. & WAGLER, E. (eds), Vol. 5.c., 1-59.
416. SCHUURMANS STEKHOVEN, J.H.; 1935: (On the physiology of sense of the parasitic copepods Lepeophtheirus pectoralis (O.F.Müller) and Acanthochondria depressa (T.Scott).) Zur Sinnesphysiologie der parasitären Copepoden Lepeophtheirus pectoralis (O.F.Müller) und Acanthochondria depressa (T.Scott). Z.Parasitenkde 7, 336-362.
417. SCHUURMANS STEKHOVEN, J.H.; 1935: Copepoda parasitica from the Belgian coast. I. Bull.Mus.r.Hist.nat.Belg., 11.VII.1935.



418. SCHUURMANS STEKHOVEN, J.H.; 1936: Copepoda parasitica from the Belgian coast. II.  
Mém.Mus.r.Hist.nat.Belg., ser.I, 74, 1-20.
419. SCHUURMANS STEKHOVEN, J.H.; 1936: (Observations on morphology and physiology of *Lernaeocera branchialis* L. and *Lernaeocera lusci* Bassett-Smith (Copepoda parasitica).) Beobachtungen zur Morphologie und Physiologie der *Lernaeocera branchialis* L. und *Lernaeocera lusci* Bassett-Smith (Copepoda parasitica). Z.Parasitenkde 8, 659-696.
420. SCHUURMANS STEKHOVEN, J.H. & PUNT, A.; 1937: (Further contributions to morphology and biology of *Lernaeocera branchialis* L.) Weitere Beiträge zur Morphologie und Biologie der *Lernaeocera branchialis* L.). Z.Parasitenkde 9, 648-668.
421. SCHWANZ-PFITZNER, I.; 1973: (Investigations on a clarification of the etiology of the "cauliflower disease of the eel" and the effect of this tumour on nutrition and growth.) Untersuchungen zur Klärung der Ätiologie der "Blumenkohlkrankheit der Aale" und zum Einfluß dieses Tumors auf Ernährung und Wachstum. Verh.int.Ver.Limnol. 18, 1666-1673.
422. SHULMAN, S.S.; 1948: (Worm disease in cod liver.) in Russian. Ryb.Khos. 24, 36-40.
423. SHULMAN, S.S.; 1957: (Contributions to the parasite fauna of the lampreys of the basins of the Baltic and the White Sea.) in Russian. Izv.vses.Inst.ozern.rechn.ryb.Khoz. 42, 287-303.
424. SHULMAN, S.S.; 1959: (Parasites of fish in the eastern part of the Baltic Sea.) in Russian. Trudy Soveshch.ikhtiol.Kom. 9, 184-187.
425. SHULMAN, S.S. & SHTEIN, G.A.; 1964: Protozoa. in: → PAVLOVSKII, E.N. (ed.), 5-235.
426. SINDERMAN, C.J.; 1970: Principal diseases of marine fish and shellfish. Academic Press, New York, 369pp.
427. SJÖBLÖM, V. & KUITTINEN, E.; 1976: *Phocascaris* sp. (nematoda) larva in Baltic herring, a new parasite for the Baltic Sea. Int.Counc.Explor.Sea C.M./P:14, 3pp.
428. SLUITERS, J.F.; 1974: *Anisakis* sp. larvae in the stomachs of herring (*Clupea harengus* L.). Z.Parasitenkde 44, 279-288.
429. SLUSARSKI, W.; 1958: (The adult Digenea from Salmonidae of the basin of the Vistula and the south Baltic.) in Polish. Acta parasit.pol. 6, 447-728 (249-528).
430. SLUSARSKI, W.; 1958: (Distribution of two species of the genus *Crepidostomum* Braun, 1900 (Digenea Allocreadidae) from Salmonidae in the Basin of Vistula). in Polish. Wiad.Parazyt. 4, 647-650.
431. SMITH, J.W.; 1961: A disease of finnock due to *Vibrio anguillarum*. J.gen.Microbiol. 24, 247-252.

432. SMITH, J.W.; 1969: The distribution of one monogenean and two copepod parasites of whiting, *Merlangius merlangus* (L.), caught in British waters. *Nytt Mag.Zool.* 17, 57-63.
433. SMITH, J.W.; 1972: The occurrence of *Diclidophora esmarkii* (Monogenea) on Norway pout, *Trisopterus esmarkii* (Nilsson, 1855) in the northern North Sea and to the north and west of Scotland. *J.Cons.int.Explor.Mer* 34, 256-261.
434. SMITH, J.W.; 1974: Experimental transfer of *Anisakis* sp. larvae (Nematoda: Ascaridida) from one fish host to another. *J.Helminth.* 48, 229-234.
435. SMITH, J.W. & WOOTTEN, R.; 1975: Experimental studies on the migration of *Anisakis* sp. larvae (Nematoda: Ascaridida) into the flesh of herring, *Clupea harengus* L.. *Int.J.Parasit.* 5, 133-136.
436. SMYTH, J.D.; 1969: The physiology of cestodes. Oliver & Boyd, Edinburgh, 279pp.
437. SNIESZKO, S.F. (ed.); 1970: A symposium on diseases of fishes and shellfishes. *Am.Fish.Soc., spec.Publ.* 5, 526pp.
438. SOKALOVSKAYA, I.L.; 1964: *Acanthocephala*. in: → PAVLOVSKII, E.N. (ed.), 681-725.
439. SOLEIM, Ø.; 1974: Scanning electron microscope observations of *Contracaecum aduncum* (Nematoda: Ascaridoidea). *Norw.J.Zool.* 22, 171-175.
440. SPRAGUE, V. & VERNICK, S.H.; 1968: Observation on the spores of *Pleistophora gigantea* (Thélohan, 1895) Swellengrebel, 1911, a microsporidian parasite of the fish *Crenilabrus melops*. *J.Protozool.* 15, 662-665.
441. SPREHN, C.; 1933: (Trematoda.) in German. in: → GRIMPE, G. & WAGLER, E. (eds), Vol. 4.c<sub>1</sub>, 1-60.
442. SPROSTON, N.G.; 1944: *Ichthyosporidium hoferi* (Plehn et Mulsow), an internal fungoid parasite of the mackerel. *J.mar.biol.Ass.U.K.* 26, 72-98.
443. SPROSTON, N.G.; 1946: A synopsis of the monogenetic trematodes. *Trans.zool.Soc.Lond.* 25, 586-600.
444. STEPHENSEN, K.; 1948: (Marine isopoda.) in Danish. *Danmarks Fauna* 53, 149pp.
445. STOCK, J.H.; 1953: *Bomolochus soleae* Claus, 1864 and *B. confusus* n.sp.: two hitherto confounded parasitic copepods, with remarks on some other *Bomolochus* species. *Beaufortia* 2(24), 1-30.
446. STOLK, A.; 1966: Muscular dystrophy in fish. *Bull.Off.int.Epizoot.* 65, 1077-1084.
447. STRYJECKA-TREMBACZOWSKA, M.; 1953: (Investigations on *Urceolariidae* (Ciliata - Peritricha) of the gills of fishes of the Polish Baltic Sea.) in Polish. *Acta parasit.pol.* 1, 85-120.
448. STRZYZEWSKA, K. & POPIEL, J.; 1974: Characteristics of herring infested by *Anisakis* larvae caught in the Gulf of Gdansk. *Int.Counc.Explor.Sea, C.M./H:15*, 4pp.

449. STUDNICKA, M.; 1965: Internal parasites of the cod, *Gadus callarias* L., from the Gdansk Bay of the Baltic Sea. *Acta parasit.pol.* 13, 283-290.
450. SUNDNES, G.; 1970: *Lernaeocera branchialis* (L.) on cod *Gadus morhua* (L.) in Norwegian waters. *Inst.mar.Res.Bergen*, 48pp.
451. SZUKS, H.; 1975: The problem of species in digenean trematodes as demonstrated for the genus *Podocotyle* (Dujardin, 1845) Odhner, 1905. Zum Artproblem bei digenen Trematoden, dargestellt am Beispiel der Gattung *Podocotyle* (Dujardin, 1845) Odhner, 1905.
452. TESCH, F.W.; 1968: (Salinity tolerance of the parasitic ciliate *Ichthyophthirius multifiliis*.) Salinitätstoleranz des parasitischen Ciliaten *Ichthyophthirius multifiliis*. *Helgoländer wiss.Meeresunters.* 18, 130-135.
453. TESCH, F.W.; 1973: (The eel.) *Der Aal*. Parey, Hamburg, 306pp.
454. THOMAS, L.; 1931: (Tumours of fishes (anatomical and pathological study).) *Les tumeurs des poissons (étude anatomique et pathogénique)*. *Bull.Off.fr.Etude Cancer* 20, 703-760.
455. THULIN, J.; 1971: (Parasitic flatworms of cod.) *Parasitiska plattmaskar hos torsk*. *Zool.Revy* 33, 76-84.
456. THULIN, J.; 1973: (Some parasites of a sunfish, caught in the harbour of Göteborg.) *Några parasiter i en klumpfisk fångad i Göteborgs hamn*. *Zool.Revy* 35, 82-84.
457. THULIN, J.; 1974: (Parasites of cod.) *Parasiter hos torsk*. *Zool.Revy* 36, 31-39.
458. TÖRNQUIST, N.; 1930: (The nematode families Cucullanidae and Camallanidae.) *Die Nematodenfamilien Cucullanidae and Camallanidae*. *Göteborgs K.Vetensk.-o.Vitterh.Samh.Handl.* 2, 1-441.
459. TSCHULKOVA, V.N.; 1939: (Parasites of herring in the Gulf of Finland.) in Russian. *Inform.Bull.konsult.bjuro Vsesojusn.nautschno-issled.inst.osern.ryb.Khos.* 4, 12-13.
460. VAN BANNING, P.; 1971: Some notes on a successful rearing of the herring-worm, *Anisakis marina* L. (Nematoda: Heterocheilidae). *J.Cons.perm.int.Explor.Mer* 34, 84-88.
461. VAN BANNING, P.; 1974: Two remarkable infestations by *Lernaeocera* spp. (Copepoda parasitica). *J.Cons.perm.int.Explor.Mer* 35, 205-206.
462. VAN DEN BERGHE, L.; 1937: On a new coccidian, *Eimeria raiarum* sp.n., with special reference to the biology of the oocysts. *Parasitology* 29, 7-11.
463. VAN DUIJN, C.; 1973: *Diseases of fishes*. Butterworth & Co. (Publ.) Ltd, London, 372pp.

464. VAN MEMEREN, J. & HOUWING, H.; 1968: Effect of irradiation on Anisakis larvae in salted herring. Symp.Elim.harmful Organisms Food Feed Irradiation, Vienna, 1968, 73-80.
465. VAN OORDE-DE LINT, G.M. & SCHUURMANS STEKHOVEN, J.H.; 1927: (Copepoda parasitica.) in German. in: → GRIMPE, G. & WAGLER, E. (eds), Vol. 10.c<sub>2</sub>, 73-198.
466. VAN RAVESTEYN, T.L.; 1968: (An unusual tumour in the small pelvis.) Een ongewone tumor in het kleine bekken. Ned.Tijdschr.Geneesk. 112, 877-879.
467. VAN THIEL, P.H.; 1962: Anisakiasis. Parasitology 52, 16P-17P.
468. VAN THIEL, P.H.; 1966: The final hosts of the herringworm Anisakis marina. Trop.geogr.Med. 18, 310-328.
469. VAN THIEL, P.H.; 1967: (The cap formation of the larva of Anisakis marina in human serum.) Le phénomène de la "formation de la calotte" chez la larve d'Anisakis marina (Linnaeus 1769) dans le sérum humain. Annls Parasit.hum.comp. 42, 633-642.
470. VAN THIEL, P.H.; KUIPERS, F.C. & ROSKAM, R.T.; 1960: A nematode parasitic to herring causing acute abdominal syndromes in man. Trop.geogr.Med. 2, 97-113.
471. VAN THIEL, P.H. & VAN HOUTEN, H.; 1966: (The herringworm Anisakis marina as parasite of man, outside the gastro-intestinal tract.) De haringworm Anisakis marina als parasiet van de mens, buiten de wand van het magdarmkanaal. Ned.Tijdschr.Geneesk. 110, 1524-1528.
472. VAN THIEL, P.H. & VAN HOUTEN, H.; 1967: The localization of the herringworm Anisakis marina in- and outside the human gastro-intestinal wall. Trop.geogr.Med. 19, 56-62.
473. VIK, R.; 1960: (A crustacean parasite (Anelasma squalicola (Loven, 1844)) in velvet belly.) En krepseparasitt (Anelasma squalicola (Loven, 1844)) hos svarthå. Fauna, Oslo 13, 14-20.
474. VIK, R.; 1966: Anisakis larvae in Norwegian food fishes. Proc.1st int.Congr.Parasit., Rome, 1, 568-569.
475. VITINSH, M. & BARANOVA, T.; 1976: Lymphocystis disease of Baltic flounder (Platichthys flesus L.). Int.Counc.Explor.Sea C.M./P:6, 12pp.
476. VOORHUIS, F.J. & EYLLERS, W.; 1961: (A tumour in the stomach, probably caused by the herring-worm.) Een ontsteekningstumor van het maag, waarschijnlijk veroorzaagt door de haringworm. Ned.Tijdschr.Geneesk. 105, 2242-2245.
477. VORONIN, V.N.; 1974: Some microsporidians (Microsporidia, Nosematidae) from sticklebacks Pungitius pungitius and Gasterosteus aculeatus of the Finnish Bay. Acta Protozool. 13, 211-220.
478. WALDMANN, J.; 1961: (An abnormal female flounder.) Ein abnormes Flunderweibchen. Z.Fisch. 10, 537-541.

479. WERDING, B.; 1969: (Morphology, development, and ecology of digenean trematodes from *Littorina littorea*.) Morphologie, Entwicklung und Ökologie digener Trematodenlarven von *Littorina littorea*. Mar.Biol. 3, 306-333.
480. WICKINS, J.F. & MACFARLANE, I.S.; 1973: Some differences in the parasitic fauna of three samples of plaice (*Pleuronectes platessa* L.) from the southern North Sea. J.Fish Biol. 5, 9-19.
481. WIKGREN, H.J.; 1956: Studies on Finnish larval flukes with a list of known adult flukes. Acta zool.fenn. 91, 1-106.
482. WILLIAMS, G.; 1929: Tumourous growth in fish. Proc.Trans.Liverpool biol.Soc. 43, 120-148.
483. WILLIAMS, G.; 1931: On various fish tumours. Proc.Trans.Liverpool biol.Soc. 45, 98-109.
484. WILLIAMS, H.H.; 1958: Helminth diseases of fish. Helminth.Abstr. 36, 261-287.
485. WILLIAMS, H.H.; 1959: A list of parasitic worms, including 22 new records, from marine fishes caught off the British Isles. Ann.Mag.nat.Hist., ser. 13, 2, 705-715.
486. WILLIAMS, H.H.; 1960: Some observations on *Parabothrium gadi-pollachii* (Rudolphi, 1810) and *Abothrium gadi* van Beneden 1870 (Cestoda: Pseudophyllidea) including an account of their mode of attachment and on variation in the two species. Parasitology 50, 303-322.
487. WILLIAMS, H.H.; 1960: The intestine in members of the genus *Raja* and host-specificity in the Tetracophyllidea. Nature, Lond. 188, 514-516.
488. WILLIAMS, H.H.; 1965: Roundworms in fishes and so-called herring-worm disease. Br.med.J. 1, 964-967.
489. WILLIAMS, H.H.; 1965: Observations on the occurrence of *Dictyocotyle coeliaca* and *Calicotyle kroyeri* (Trematoda: Monogenea). Parasitology 55, 201-207.
490. WILLIAMS, H.H.; 1966: The ecology, functional morphology and taxonomy of *Echeneibothrium* Beneden, 1850 (Cestoda: Tetracophyllidea), a revision of the genus and comments on *Discobothrium* Beneden, 1870, *Pseudanthobothrium* Baer, 1956, and *Phormobothrium* Alexander, 1963. Parasitology 56, 227-285.
491. WILLIAMS, H.H.; 1968: *Acanthobothrium quadripartitum* sp.nov. (Cestoda: Tetracophyllidea) from *Raja naevus* in the North Sea and English Channel. Parasitology 58, 105-110.
492. WILLIAMS, H.H.; 1968: *Phyllobothrium pirei* sp.nov. (Cestoda: Tetracophyllidea) from *Raja naevus* with a comment on its habitat and mode of attachment. Parasitology 58, 431-456.

493. WILLIAMS, H.H.; 1968: The taxonomy, ecology and host-specificity of some Phyllobothriidae (Cestoda: Tetraphyllidea), a critical revision of *Phyllobothrium* Beneden, 1849 and comments on some allied genera. *Philos.Trans.R.Soc.Lond. B* 253, 231-307.
494. WILLIAMS, H.H.; 1969: The genus *Acanthobothrium* Beneden 1849 (Cestoda: Tetraphyllidea). *Nytt Mag.Zool.* 17, 1-56.
495. WILLIAMS, H.H. & HALVORSEN, O.; 1971: The incidence and degree of infection of *Gadus morhua* L. with *Abothrium gadi*. *Norw.J.Zool.* 19, 193-199.
496. WILLIAMS, H.H. & MCVICAR, A.; 1968: Sperm transfer in Tetraphyllidea (Platyhelminthes: Cestoda). *Nytt Mag.Zool* 16, 61-71.
497. WILLIAMS, H.H.; MCVICAR, A.H. & RALPH, R.; 1970: The alimentary canal of fish as an environment for helminth parasites. *Symp. Br.Soc.Parasit.* 8, 43-77.
498. WILLIAMS, H.H. & RICHARDS, D.H.; 1968: Observations on *Pseudanisakis rotundata* (Rudolphi, 1819) Mozgovoi, 1950, a common but little known parasite of *Raja radiata* in the northern North Sea. *J.Helminth.* 42, 199-220.
499. WÖRNER, F.G.; 1974: (About the infestation of juvenile stages of the genus *Onos* (*O. cimbrius* L. and *Onos mustela* L.) by a nematode (*Contracaecum aduncum* Rud., 1802). Über den Befall von Jugendstadien der Gattung *Onos* (*O. cimbrius* und *Onos mustela* L.) durch einen Nematoden (*Contracaecum aduncum* Rud., 1802). *Ber.dt.wiss.Kommn Meeresforsch.* 23, 153-155.
500. WOLTER, R.; 1960: (*Vibrio anguillarum* pest in Strelasund and Greifswalder Bodden.) Die *Vibrio-anguillarum*-Seuche im Strelasund und Greifswalder Bodden. *Z.Fisch.* 9, 763-769.
501. WOOTTEN, R. & SMITH, J.W.; 1975: Observational and experimental studies on the acquisition of *Anisakis* sp. larvae (Nematoda: Ascaridida) by trout in fresh water. *Int.J.Parasit.* 5, 373-378.
502. WOOTTEN, R. & WADDELL, I.F.; 1974: Larval nematodes in cod from Scottish waters 1958-1973. *Int.Counc.Explor.Sea, C.M./F:38*, 4pp.
503. WÜLKER, G.; 1929: (The origin of parasitism within the nematoda.) Die Entstehung des Parasitismus bei den Nematoden. *Arch.Schiffs-u.Tropenhyg.* 33, Beih. 3, 272-284.
504. WÜLKER, G.; 1929: (Host change of parasitic nematodes from marine fishes.) Der Wirtswechsel der parasitischen Nematoden von Meeresfischen. *Zool.Anz.* 4, Suppl., 147-157.
505. WÜLKER, G.; 1930: (On nematodes in animals from the North Sea I.) Über Nematoden aus Nordseetieren. I. *Zool.Anz.* 87, 293-302.

506. WÜLKER, G.; 1930: (On nematodes in animals from the North North Sea. II.) Über Nematoden aus Nordseetieren. II. Zool.Anz. 88, 1-16.
507. WÜLKER, G. & SCHUURMANS STEKHOVEN, J.H.; 1933: (Acanthocephala.) in German. in: → GRIMPE, G. & WAGLER, E. (eds), Vol. 6.e., 1-64.
508. WUNDER, W.; 1971: (Deformities of cod (Gadus morhua) caused by shortening of the vertebral column.) Mißbildungen beim Kabeljau (Gadus morhua) verursacht durch Wirbelsäulenverkürzung. Helgoländer wiss.Meeresunters. 22, 201-212.
509. WUTHE, H.H. & FINDEL, G.; 1972: (Salmonella in flatfishes of coastal waters.) Salmonellen in Plattfischen aus Küstengewässern. Arch.Lebensmittelhyg. 23, 110-111.
510. YAMAGUTI, S.; 1958: Systema helminthum. I. The digenetic trematodes of vertebrates. Interscience Publ., New York, 1575pp.
511. YAMAGUTI, S.; 1959: Systema helminthum. II. The cestodes of vertebrates. Interscience Publ., New York.
512. YAMAGUTI, S.; 1962: Systema helminthum. III. The nematodes of vertebrates. Interscience Publ., New York, 1261pp.
513. YAMAGUTI, S.; 1963: Systema helminthum. IV. Monogenea and Aspidocotylea. Interscience Publ., New York.
514. YAMAGUTI, S.; 1963: Systema helminthum. V. Acanthocephala. Interscience Publ., New York, 423pp.
515. YAMAGUTI, S.; 1963: Parasitic copepoda and branchiura of fishes. Interscience Publ., New York, 1104pp.
516. YOSHINO, T.P. & NOBLE, E.R.; 1973: Myxoxporidia in macrourid fishes of the North Atlantic. Can.J.Zool. 51, 745- 752.
517. YOUNG, P.C.; 1969: Parasitic cutaneous lesions in a cod (Gadus morhua L.). Vet.Rec. 1969, 99-100.
518. YOUNG, P.C.; 1973: The relationship between the presence of larval anisakine nematodes in cod and marine mammals in British home waters. J.appl.Ecol. 9, 459-485.

# INDEX

=====

## fish species

<i>Petromyzon marinus</i>	390, 423
<i>Raja batis</i>	43, 111, 175, 462, 489, 490
<i>Raja clavata</i>	39, 111, 175, 236, 487, 489, 490
<i>Raja montagui</i>	111, 175, 487, 489, 490
<i>Raja naevus</i>	175, 190, 285, 287, 288, 487, 489, 490, 491, 492
<i>Raja oxyrhynchus</i>	506
<i>Raja radiata</i>	43, 50, 51, 111, 175, 287, 489, 490, 497, 498
<i>Galeus vulgaris</i>	506
<i>Etmopterus spinax</i>	473
<i>Chimaera monstrosa</i>	54, 85, 132, 234, 258
<i>Clupea harengus</i>	8, 9, 10, 14, 15, 24, 32, 33, 34, 35, 36, 37, 73, 75, 76, 83, 97, 99, 101, 108, 121, 144, 145, 149, 156, 170, 171, 191, 192, 193, 206, 212, 214, 215, 216, 217, 225, 226, 242, 245, 246, 251, 269, 278, 280, 297, 316, 334, 336, 337, 338, 345, 367, 369, 370, 372, 389, 392, 393, 394, 396, 397, 398, 399, 400, 401, 427, 428, 434, 448, 459, 460, 464, 466, 467, 468, 469, 470, 471, 472, 474, 476, 483, 488, 501, 390
<i>Clupea sprattus</i>	87, 124, 206, 269, 357, 360, 371, 389, 390
<i>Engraulis encrasicolus</i>	245
<i>Salmo salar</i>	101, 129, 218, 251, 269, 281, 282, 321, 360, 374, 379, 380, 381, 382, 383, 384, 385, 386, 387, 390, 428, 429, 430, 434
<i>Salmo trutta</i>	200, 306, 390, 429
<i>Osmerus eperlanus</i>	88, 180, 251, 269, 345, 390
<i>Anguilla anguilla</i>	3, 57, 66, 67, 78, 81, 84, 88, 97, 99, 199, 201, 202, 203, 206, 228, 233, 251, 255, 268, 269, 276, 281, 282, 296, 297, 311, 312, 315, 322, 323, 324, 325, 326, 327, 328, 329, 330, 333, 335, 349, 367, 369, 370, 388, 403, 405, 406, 409, 411, 412, 414, 421, 452, 453, 500
<i>Conger conger</i>	54, 483
<i>Belone belone</i>	97, 99, 101, 251, 325, 390
<i>Siphonostoma typhle</i>	67, 115, 269, 367, 369, 370, 390
<i>Entelurus aequoreus</i>	250
<i>Nerophis ophidion</i>	67, 206, 251, 269, 367, 369, 370, 447



<i>Gadus morhua</i>	13, 16, 20, 28, 30, 31, 39, 46, 64, 65, 73, 81, 101, 106, 118, 119, 131, 138, 143, 146, 157, 166, 173, 179, 180, 181, 182, 196, 197, 198, 206, 209, 211, 220, 231, 232, 233, 249, 251, 260, 268, 269, 275, 277, 278, 280, 291, 295, 296, 299, 302, 309, 310, 315, 331, 335, 341, 342, 343, 351, 352, 353, 354, 355, 360, 362, 367, 369, 370, 378, 406, 410, 419, 420, 423, 439, 446, 449, 450, 455, 457, 461, 482, 483, 486, 495, 497, 502, 508, 517, 390
<i>Gadus aeglefinus</i> (= <i>Melanogrammus</i> a.)	118, 159, 163, 166, 167, 168, 172, 173, 227, 243, 244, 260, 289, 310, 334, 343, 359, 486
<i>Gadus luscus</i> (= <i>Trisopterus</i> l.)	378, 461
<i>Gadus minutus</i> (= <i>Trisopterus</i> m.)	251
<i>Gadus esmarkii</i> (= <i>Trisopterus</i> e.)	433
<i>Gadus merlangus</i> (= <i>Merlangius</i> m.)	12, 13, 101, 130, 139, 166, 172, 173, 177, 179, 231, 234, 237, 250, 251, 260, 262, 310, 432
<i>Gadus pollachius</i> (= <i>Pollachius</i> p.)	95, 251, 486
<i>Gadus virens</i> (= <i>Pollachius</i> v.)	86, 104, 129, 179, 378, 454, 482
<i>Raniceps raninus</i>	251
<i>Molva molva</i>	180, 342
<i>Molva byrkelange</i>	26, 180, 342, 505
<i>Merluccius merluccius</i>	169
<i>Onos cimbrius</i>	136, 499
<i>Onos mustela</i>	136, 150, 360, 499
<i>Brosme brosme</i>	345
<i>Crenilabrus melops</i>	440
<i>Labrus ossifagus</i>	251
<i>Ammodytes</i> spp.	2, 179, 251, 269, 367, 369, 370, 390
<i>Trachinus draco</i>	170
<i>Trachinus vipera</i>	170
<i>Scomber scombrus</i>	101, 251, 269, 334, 395, 442, 460
<i>Thunnus thynnus</i>	47, 230
<i>Lampris luna</i>	176
<i>Lumpenus lampretaeformis</i>	269
<i>Blennius pholis</i>	150
<i>Pholis gunnellus</i>	269, 297, 367, 369, 370
<i>Zoarces viviparus</i>	117, 152, 206, 269, 273, 274, 296, 297, 298, 302, 349, 369, 370, 390
<i>Anarhichas lupus</i>	68, 181, 342
<i>Anarhichas minor</i>	68, 342

- Gobius niger 67, 204, 251, 367, 369, 370, 447  
 Gobius flavescens 204, 251, 447  
 Gobius minutus 67, 115, 204, 206, 263, 269, 270, 272, 367, 369, 370, 447  
 Gobius microps 67, 115, 204, 367, 369, 370  
 Sebastes marinus 25, 154, 181, 460  
 Sebastes norvegicus 179  
 Trigla gurnardus 378  
 Cottus scorpius 101, 251, 269, 297, 302, 367, 369, 370, 390, 447  
 Cottus bubalis 206, 251, 269, 297, 447  
 Cottus quadricornis 90, 269, 369, 370  
 Agonus cataphractus 170  
 Cyclopterus lumpus 167, 207, 269, 369, 370  
 Liparis sp. 269, 390  
 Gasterosteus aculeatus 4, 67, 88, 251, 268, 269, 281, 282, 297, 328, 329, 330, 367, 390, 446, 447, 477  
 Spinachia spinachia 369, 370  
 Rhombus maximus 45, 77, 82, 97, 99, 157, 206, 269, 270, 297, 335, 367, 370, 376, 378, 390, 391, 482  
 Rhombus laevis 45, 77, 82, 297, 367, 369, 370, 391  
 Hippoglossus hippoglossus 187, 350, 391, 482  
 Reinhardtius hippoglossoides 25  
 Hippoglossoides platessoides (= Drepanopsetta p.) 157, 162, 170, 391  
 Lepidorhombus whiffiagonis 170  
 Limanda limanda 39, 101, 129, 162, 170, 206, 264, 269, 390, 391  
 Pleuronectes platessa 39, 40, 41, 42, 44, 58, 97, 98, 99, 101, 123, 129, 142, 160, 162, 185, 206, 209, 238, 240, 241, 247, 248, 261, 264, 269, 281, 284, 297, 308, 311, 349, 367, 369, 370, 378, 379, 390, 391, 402, 480, 508  
 Platichthys flesus 4, 28, 39, 40, 41, 44, 55, 81, 97, 98, 99, 101, 109, 110, 111, 123, 129, 151, 152, 162, 167, 206, 247, 248, 251, 264, 269, 270, 282, 293, 294, 296, 297, 302, 303, 308, 335, 367, 369, 390, 391, 402, 404, 416, 447, 454, 475, 478, 508  
 Microstomus kitt 162, 170, 391  
 Glyptocephalus cynoglossus 162  
 Solea solea 6, 102, 183, 184, 185, 186, 188, 219, 349, 378, 391, 455  
 Mola mola 456  
 Lophius piscatorius 54, 181  
 Benthosoma glaciale 116  
 Luvatus imperialis 56

parasite species and diseases

- cauliflower disease 66, 201, 202, 203, 228, 297, 322, 323,  
324, 325, 326, 333, 405, 406, 409, 421,  
Lymphocystis disease 6, 9, 55, 261, 264, 293, 294, 297, 308  
315, 321, 402, 404, 478  
ulcerative dermal necrosis 11, 374, 376, 380, 384, 385, 386
- bacteria, general 69, 222
- "bacteria" 117
- Aeromonas 316
- Furunculosis 200, 321, 376
- Pseudomonas 102, 142, 316
- Salmonella 123, 508
- Tuberculosis 157
- Vibrio, red disease 3, 6, 14, 16, 30, 57, 58, 73, 78, 95,  
102, 128, 129, 155, 199, 210, 233, 261, 276, 277,  
292, 293, 294, 297, 298, 299, 303, 310, 316, 378,  
388, 403, 405, 411, 412, 414, 431, 500, 519
- fungi, general
- Ichthyosporidium 196, 197, 198, 289, 295, 296, 297, 299,  
360, 363, 442
- Saprolegnia 389
- protozoa, general 425
- sporozoa, general 366
- Ceratomyxa 165, 170, 172, 177
- Davisia 170
- Eimeria 91, 171, 342, 427, 462
- Glugea 58, 293, 294, 297
- Kudoa 165
- Lentospora 73
- Leptotheca 172, 177
- Myxidium 88, 91, 170, 172, 177, 376, 516
- Myxobolus 91, 160, 427
- Nosema 91, 163, 427, 477
- Parvicapsula 170
- Plistophora 68, 91, 163, 342, 427, 440, 517

Sphaeromyxa	172
Sphaerospora	170, 238, 241, 247
<u>ciliata</u>	
Euplotes	349
Helicostoma	349
Ichthyophthirius	452
Scyphidia	238, 239, 241, 247
Uronema	349
Trichodina	90, 97, 99, 238, 239, 241, 247, 427, 447
<u>cestoda</u> , general	94, 158, 358, 436, 484, 511
Abothrium	101, 146, 309, 369, 370, 486, 495, 497
Acanthobothrium	287, 491, 494, 496
Bothrimonas	61
Bothriocephalus	45, 77, 82, 88, 97, 99, 101, 152, 247, 269, 270, 274, 293, 294, 297, 299, 302, 310, 369, 370, 389, 390, 449
Calliobothrium	11
Caryophyllaeus	152, 272, 274, 390
Diphyllobothrium	101, 212, 256, 257, 269, 328, 330, 88
Discobothrium	490
Echeneibothrium	490
Eubothrium	101, 269, 390
Gilquinia	237, 244, 250
Grillotia	110, 227, 350, 497
Ligula	202, 269, 272
Octobothrium	51
Parabothrium	486
Phormobothrium	490
Phyllobothrium	11, 492, 493, 496, 497
Proteocephalus	88, 99, 101, 152, 202, 269, 272, 369, 370, 390
Pseudanthobothrium	490, 497
Pseudophyllidea	237, 240, 246
Schistocephalus	257, 269, 369, 370, 390
Sphaerobothrium	493
Tetraphyllidea	56, 237, 240, 246, 284
Triacnophorus	257, 269, 369, 370, 390
Trypanorhyncha	237, 240, 246

- monogenea, general 4, 49, 52, 53, 62, 125, 135, 140, 347,  
443, 484, 513
- Acanthocotyle 52
- Accacladocoelium 456
- Calicotyle 52, 85, 313, 489, 497
- Chimaericola 52, 85
- Dactylocotyle 85, 359
- Dactylogyrus 4, 259
- Diclidophora 11, 50, 52, 103, 104, 130, 224, 235, 432, 433
- Dictyocotyle 190, 313, 489
- Entobdella 11, 52, 183, 184, 185, 186, 187, 189
- Gyrocotyle 85, 132, 234, 258
- Gyrocotylodes 85
- Gyrodactylus 4, 115, 238, 240, 241, 247, 251, 252, 255, 255,  
259, 274, 88
- Leptocotyle 52
- Maclarenouzoum 456
- Rajonchotyle 52
- Squalonchotyle 52
- Taeniocotyle 85
- Tristoma 52
- Tylodelphys 81
- digenea, general 63, 79, 80, 368, 441, 484, 510
- Allocreadium 429
- Aphanurus 429
- Asymphlodora 202, 272, 369, 370
- Azygia 429
- Brachyphallus 97, 99, 241, 266, 269, 369, 372, 389, 390, 429
- Bucephalopsis 54
- Bunodera 429
- Chimaerohemecus 85
- Crepidostomum 429, 430
- Cryptocotyle 81, 149, 204, 247, 269, 272, 284, 293, 294,  
296, 297, 299, 367, 369, 370, 378, 379, 455,  
457
- Derogenes 11, 91, 110, 211, 220, 238, 241, 266, 291, 299,  
247, 372, 497
- Deropristis 101, 269, 369, 370
- Diplostomum 67, 81, 88, 97, 99, 202, 368, 369, 370, 376
- Excoitocaecum 429
- Hemiurus 91, 101, 110, 211, 238, 241, 247, 266, 269, 291,  
293, 294, 299, 369, 370, 372, 389, 390, 429, 497

Lacistorhynchus	242, 246
Lecithaster	110, 238, 241, 247, 266, 369, 370, 389, 497
Lecithocladium	101, 269
Lepidapedon	497
Macraspis	54
Mesorchis	369, 370
Microphallus	150
Opechona	101, 207, 243
Otodistomum	497
Pharyngora (= Opechona)	
Phyllodistomum	429
Plagioporus	85, 241, 247, 369, 370
Podocotyle	91, 101, 110, 112, 238, 241, 247, 266, 293, 294, 296, 297, 298, 299, 300, 302, 335, 354, 368, 369, 370, 497
Prosorhynchus	54, 269, 297, 369, 370
Renicola	242, 245, 246
Rhipidocotyle	238, 241, 247
Sphaeronostomum	88, 101, 429
Stephanostomum	238, 241, 247, 248, 497
Stichocotyle	236
Zoogonoides	110, 219, 238, 241, 247, 317, 480
<u>hirudinea</u> , general	100, 139, 195
Calliobdella	85, 219
Piscicola	293, 294, 297, 320
<u>nematoda</u> , general	7, 147, 415, 484, 512
Agamascaris	209
Anacanthocheilus	181, 225, 348, 504
Ancyracanthus	88
Anisakis	8, 20, 21, 22, 23, 24, 32, 33, 34, 35, 36, 72, 74, 75, 76, 93, 108, 110, 121, 144, 145, 148, 156, 191, 193, 213, 214, 215, 216, 217, 225, 226, 247, 250, 290, 297, 334, 336, 337, 338, 345, 346, 348, 352, 394, 395, 396, 397, 398, 399, 400, 401, 427, 428, 434, 435, 448, 460, 464, 466, 467, 468, 469, 470, 471, 474, 476, 488, 501, 502, 518
Ascarophis	23, 93, 118, 297, 298, 299, 354, 449, 497
Camallanus	294, 297, 300, 301, 458
Capillaria	23, 247, 297, 311, 480, 497

Contracaecum	20, 22, 23, 24, 28, 88, 97, 99, 101, 106, 110, 127, 143, 151, 152, 179, 181, 193, 202, 225, 238, 241, 247, 269, 272, 273, 274, 293, 294, 296, 294, 296, 297, 298, 299, 300, 302, 303, 309, 348, 372, 389, 390, 392, 392, 397, 408, 422, 424, 439, 449, 457, 497, 499, 504, 506, 518
Cucullanellus minutus (= Cucullanellus fusiformis)	27, 28, 99, 109, 110, 152, 247, 269, 272, 293, 294, 296, 300, 303, 390, 458
Cucullanus cirratus	23, 27, 28, 101, 309, 458, 497, 505
Cucullanus heterochrous	23, 27, 28, 97, 101, 109, 110, 152, 209, 219, 241, 247, 293, 294, 296, 297, 300, 302, 458, 480, 505
Cyathostoma	59, 60
Cystidicola	90, 274
Eustoma	15, 23, 101, 111, 121, 148, 348
Eustrongyloides	23
Goezia	84, 219, 348
Philometra	23, 504, 505
Phocascaris	247, 428, 518
Pancreatonema	288
Phocanema	93
Porrocaecum	11, 20, 21, 23, 24, 93, 101, 121, 180, 181, 225, 247, 351, 352, 353, 502
Proleptus	23
Pseudanisakis	111, 113, 487, 498
Raphidascaris	23, 88, 97, 99, 101, 152, 247, 269, 274, 293, 294, 297, 298, 348, 427
Skrjabinia	505
Spinitectis	23, 269
"Spiruroidea"	110, 152, 247, 293, 294, 297,
Terranova	97, 99
<u>acanthocephala</u> , general	120, 233, 438, 484, 507, 514
Acanthocephalus anguillae	97, 99, 293, 294, 297
Acanthocephalus lucii	97, 99, 101, 269, 309, 310
Corynosoma	88, 90, 110, 152, 241, 247, 269, 274, 309, 310, 390, 449
Echinorhynchus gadi	17, 90, 91, 97, 99, 101, 152, 209, 247, 269, 274, 293, 294, 296, 297, 298, 299, 300, 302, 309, 310, 335, 389, 390, 457, 497
Echinorhynchus salmonis	88, 152, 309, 427
Neoechinorhynchus rutili	152, 269, 272, 274, 390
Pomphorhynchus	88, 90, 97, 98, 99, 101, 110, 152, 202, 247, 269, 293, 294, 296, 297, 298, 300, 302, 309, 310, 335, 390, 390, 457, 497

<u>copepoda</u> , general	38, 119, 126, 178, 515
Acanthochondria	141, 162, 247, 297, 416, 418
Acanthochondrites	43, 141
Andropoda	176
Anelasma	473
Bomolochus	455
Caligus	39, 41, 81, 85, 206, 265, 267, 318, 418
Charopinus	175
Chondracanthus	81
Clavella	13, 124, 166, 169, 173, 229, 268, 341, 418, 432, 457
Ergasilus	88, 119, 206, 268, 297
Lepeophtheirus	39, 40, 41, 42, 44, 136, 229, 247, 265, 293, 294, 297, 416, 480,
Lernaeenicus	124, 174, 265, 357, 418
Lernaeocera branchialis	11, 12, 13, 64, 65, 81, 91, 164, 167, 168, 172, 174, 178, 229, 231, 247, 249, 260, 262, 265, 297, 410, 417, 419, 420, 432, 450, 457, 461
Lernaeocera lusci	164, 418, 419
Lernaeocera minuta	263, 418
Lernaeocera obtusa	159, 164, 168
Pseudocycnus	47
Sarcotaces	26, 342
Sarcotretes	116
Sphyrion	25, 105, 154, 229, 265, 342
Thersitina	206
Vanbenedenia	85
<u>isopoda</u> , general	305, 444
Aega	85, 268
Cirolana	131
<u>branchiura</u>	
Argulus	88



localities

- northern Baltic 4, 63, 88, 90, 122, 125, 126, 147, 255, 268,  
319, 328, 329, 330, 424, 438, 459, 477, 481
- central Baltic 9, 46, 50, 81, 92, 101, 106, 107, 122, 125,  
126, 138, 147, 233, 251, 254, 255, 257, 259, 309, 310, 319,  
331, 335, 422, 423, 424, 427, 438, 458
- southern Baltic 10, 30, 31, 67, 83, 92, 93, 97, 98, 99, 101,  
116, 119, 120, 122, 149, 151, 154, 182, 199, 204, 205, 206,  
226, 232, 233, 251, 254, 255, 257, 259, 269, 270, 271, 272,  
273, 274, 276, 277, 303, 309, 310, 320, 335, 347, 367, 368,  
369, 370, 389, 390, 403, 404, 405, 406, 429, 430, 447, 448,  
449, 451, 458, 475, 478, 500
- Kiel Bay 12, 13, 92, 93, 122, 156, 182, 196, 197, 198,  
200, 275, 293, 294, 295, 296, 297, 298, 299, 300, 302, 304,  
305, 309, 341, 408, 509
- Belt Sea 8, 16, 50, 56, 57, 66, 81, 87, 92, 93, 122,  
123, 128, 132, 155, 174, 182, 207, 208, 210, 233, 234, 251,  
264, 292, 306, 308, 309, 310, 311, 341, 356, 444, 455, 456,  
457, 458
- Norwegian coast (for Oslofjord see "Belt Sea") 20, 22, 25,  
26, 27, 28, 29, 51, 52, 53, 54, 55, 73, 95, 115, 122, 129,  
131, 148, 211, 220, 291, 307, 388, 439, 450, 458, 486, 487,  
489, 490, 493, 494, 495, 498
- German Bight 3, 58, 84, 93, 122, 179, 201, 202, 212, 219,  
228, 307, 322, 323, 324, 325, 326, 327, 333, 363, 409, 421,  
451, 479, 508
- Dutch and Belgian coast 32, 33, 34, 35, 36, 45, 72, 82, 144,  
145, 213, 214, 215, 216, 217, 290, 336, 337, 338, 394, 398,  
399, 400, 401, 417, 418, 464, 466, 467, 470, 471, 472, 476

other key words

- fish bacteria of possibly human pathogenicity 14, 194, 304
- disease of man caused by fish parasites 8, 15, 32, 33, 34,  
35, 36, 72, 76, 148, 192, 194, 210, 213, 214, 215, 216, 217,  
290, 336, 337, 338, 394, 398, 401, 408, 466, 467, 469, 470,  
471, 476, 488
- diseases of fish eggs and larvae 73, 243, 392, 393
- diseases of juvenile fish 136, 238, 239, 240, 241, 243, 247,  
499
- severe injuries of fish caused by parasites 2, 11, 16, 30,  
57, 58, 78, 84, 95, 97, 99, 106, 128, 157, 161, 178, 181,  
194, 196, 197, 201, 203, 228, 229, 230, 231, 232, 238, 251,  
260, 261, 262, 263, 264, 265, 276, 277, 278, 289, 293, 295,  
299, 308, 311, 316, 322, 323, 331, 332, 355, 355, 357, 358,  
385, 403, 405, 406, 411, 421, 422, 431, 442, 446, 450, 484,  
500, 517
- tagging lesions 196, 197, 381, 382, 383

anatomic misbuildings 10, 31, 46, 138, 232, 275, 446, 478  
non-parasitic and non-infective diseases 2, 6, 31, 137, 157,  
218, 220, 232, 275, 278, 280, 281, 282, 361, 446, 454, 478,  
482, 483, 508  
experimental infections 44, 59, 108, 241, 411, 434, 501, 150, 185  
biochemistry of fish parasites 11, 17, 37, 287, 327, 374,  
377, 399, 401, 402, 450, 469  
immunology of fish 70, 137, 153, 222, 312, 384, 411, 412  
aquaculture and fish diseases 6, 37, 48, 58, 73, 117, 196,  
197, 198, 200, 302, 321, 349, 392, 393  
treatment of parasites 48, 102, 144, 145, 324, 326, 346, 349,  
404, 411, 412, 464  
parasites as biological tags 12, 13, 110, 140, 172, 177, 242,  
246, 250, 369, 370  
seasonal fluctuations 41, 106, 171, 204, 244, 271, 291, 293,  
294, 295, 296, 297, 298, 299, 300, 308, 322, 323  
influence of salinity on fish parasites 104, 149, 252, 271, 273,  
297, 309, 368, 369, 370, 452  
influence of temperature on fish parasites 81, 153, 218, 235,  
252, 271, 273, 284, 297, 323, 379  
influence of pollution on fish parasites 155, 315, 388, 507,  
519

attention !

only some of the following numbers have been included within  

---

the previous key words

text books 1, 5, 79, 89, 114, 122, 139, 194, 279, 305,  
332, 339, 340, 364, 365, 366, 373, 387, 407, 413, 415, 426,  
436, 441, 453, 463, 465, 507  
reviews, bibliographies 6, 48, 69, 70, 93, 135, 137, 222,  
233, 278, 279, 281, 301, 321, 376, 377, 395  
determination of fish parasites 7, 63, 74, 80, 94, 96, 100,  
111, 125, 126, 141, 147, 158, 195, 233, 267, 297, 300, 305,  
319, 365, 366, 415, 425, 438, 441, 458, 465, 507, 510, 511,  
512, 513, 514, 515